

SmallRig



Swivel and Tilt Adjustable Monitor Support with NATO Clamp

Operating Instruction

SmallRig Swivel and Tilt Adjustable Monitor Mount with NATO Clamp Mount 2906 is designed to hold your monitor for easy monitoring. It fits standard NATO rail for quick release and comes with a top 1/4"-20 screw for monitor, microphone, light, etc. The mount can tilt 180° and swivel 360°. Its tilt axis is quickly tightened via a knob to suit different weight and features tested durability, with tilt load capacity decreased by no more than 20% after 10,000 tilts, while its pan axis is 360° adjustable via an Allen wrench. Bouncy locating pins on the top help secure Ninja V/ V+. The thumbscrews have holes for Allen wrench to facilitate assembly and disassembly.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Monitor Mount	× 1	Guarantee Card	× 1
Allen Wrench	× 1		

Wide Compatibility



For SmallHD Focus Series

For SmallHD Focus OLED Series

For SmallHD UltraBright Series

For SmallHD 500 Series, 700 Series

For Atomos Ninja Series

For Atomos Shogun Flame

For Blackmagic Video Assist 5"

For Blackmagic Video Assist 4K 7"

Other accessories' weights that are less than 2.3kg



Please note:

Maximum Payload: 90° < 4.2kg, 45° tilt < 2.5kg, 30° tilt < 2.3kg

Product Details




Double Anti-Deflection Design

Built-in Spring-Loaded Positioning Post & Silicone Gasket



Quick-Release NATO Clamp

Can be used with standard NATO rails, such as SmallRig
NATO Rail (ID: 1409 / ID: 2172).



ID: 1409



ID: 2172



Please note:

NATO rail is NOT included

Installation Instructions

Step 1



Lock your monitor mount on the camera / cage / handle via a NATO rail

Step 2



Mount your monitor on the monitor mount via the 1/4"-20 Screw

Step 4




Adjust the tilting angle freely with the knob


Step 3



Tighten the monitor mount with the included hex spanner



Tilts 180°






Swivel 360°



Stronger Load-Bearing Capacity

Suitable for almost all 5" & 7" monitors



Package Includes

- Monitor Mount × 1
- Allen Wrench × 1



Product Parameters

Brand
SmallRig

Product Dimensions
53.8 × 52.6 × 36.0 mm

Material(s)
Aluminum Alloy,
Stainless Steel

ID
2906B

Compatibility
5" and 7" monitor

Net Weight
85 ± 5 g

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS



Séparez les éléments avant de trier



Made in China