



CT195 Video Tripod Kit

User Manual

Thank you for purchasing SmallRig's product, Please read carefully before using.

In order to ensure user's safety and prevent damages to the product due to any improper use, please carefully read the "Warnings" below and properly keep this User Manual for future reference.

Warnings

- Do not overload use.
- Brutal operation is strictly prohibited to avoid damage to the head.
- Make sure the device is securely attached before operating the video head.
- Do not move the tripod when the device is attached.
- Do not use in an environment with a temperature lower than minus 15 degrees or higher than 70.
- Do not leave the product expose to the sun for a long time.
- It is forbidden to inject petroleum preparations, lubricants, and corrosive substances into the head. Please use standard lubricating oil or grease if needed.
- For personal safety, please stay away from high-voltage equipment or strong chemicals when using.

In the Box

The package includes the following items:



CT195 Tripod Kit
(including a fluid head) × 1



Metal Spiked Feet × 3



Allen Wrench × 2



Carrying Bag × 1






User Manual × 1

Thank you for purchasing SmallRig's product, Please read carefully before using.

Product Details

- 1 Quick release plate
- 2 Vertical shooting button
- 3 Tilt Knob
- 4 Spirit level
- 5 Panoramic locking knob
- 6 1/4"-20 screw
- 7 Handle telescopic locking knob
- 8 Base
- 9 Platform locking knob
- 10 Direction button
- 11 Grip handle angle adjusting locking knob




Specifications

Model	 Base MAX.D	 Width	 Height	 Depth	 Tilt Angle	 Weight	 Max.Load
4104	φ45mm	103mm	103mm	150mm	90 degrees down	0.55kg	5kg
4104	φ1.77in	4.06in	4.06in	5.91in	90 degrees up	1.21lbs	11.0lbs

* To improve the products, if any changes in design / specification / parameter, please refer to the real product.

Thank you for purchasing SmallRig's product, Please read carefully before using.

Product Details



Specifications

Model	Material	Section	Max.D	Folded	Min.H	Max.H	Weight	Max load	Folded	Max.H
CT195	Aluminum Alloy	4	φ25mm	430mm	390mm	1750mm	1.45kg	15kg	370mm	1800mm
CT195	Aluminum Alloy	4	φ0.98in	16.9in	15.4in	68.9in	3.2lbs	33lbs	14.6in	70.9in

* All the specifications are measured without a ball head.

SmallRig



CT195 竖拍视频三脚架套件

用户手册

感谢您购买SmallRig产品，在使用之前请认真阅用户手册。

为了保障使用者的安全以及防止不当使用导致产品损坏，请在使用前仔细阅读本手册的“重要提示”，并妥善保管好手册资料，以备随时查阅。

重要提示

- 请勿超负荷使用。
- 严禁野蛮操作，以免损坏云台。
- 在使用本产品时请在锁紧主体的安全状态下操作。
- 禁止搭载设备（相机）一起携带移动。
- 请勿在低于零下15摄氏度及高于70摄氏度的温度下操作。当处于潮湿、泥沙、风尘环境时，使用完毕后一定要将云台用干布（可以的话用无水酒精或消毒酒精）擦洗干净，有海水时不推荐使用。
- 请勿将产品在阳光下长时间放置，避免产品靠在汽车玻璃旁经历高温长达数小时。
- 禁止向球台内注入任何石油制剂，润滑剂及腐蚀性物质。产品无需配备润滑剂，如在某些情况下必需使用时，请使用标准润滑油或油脂。
- 为了人身安全，在使用产品时请勿与带电物品以及高压设备或强效化学用品接触。

包装清单

包装内包含以下物品:



CT195三脚架套件
(含液压云台) × 1



金属脚钉 × 3



六角扳手 × 2




收纳包 × 1



用户手册 × 1

产品介绍

- 1 快装板
- 2 竖拍按钮
- 3 俯仰锁紧旋钮
- 4 水平器
- 5 全景锁紧旋钮
- 6 1/4"-20 螺丝
- 7 握把伸缩锁紧旋钮
- 8 底座
- 9 平台锁紧旋钮
- 10 快装板方向切换按钮
- 11 握把角度调节锁紧旋钮





产品参数

Model	底座直径	宽度	高度	长度	俯仰角度	净重	最大承重
4104	φ45mm	103mm	103mm	150mm	俯90° / 仰90°	0.55kg	5kg

* 为了改善产品，有设计 / 规格 / 参数的变动时以实物为准。

产品介绍



产品参数

型号	材质	节数	管径	收拢高度	展开最低	展开最高	净重	最大承重	收拢长度	展开长度
CT195	铝合金	4	φ25mm	430mm	390mm	1750mm	1.45kg	15kg	370mm	1800mm

* 此参数不含云台。