

# SmallRig



**Cage** (for DJI Osmo Action 5 Pro / 4 / 3 )

Operating Instruction

SmallRig Cage for DJI Osmo Action Camera 4119C is a full cage specially designed for DJI Osmo Action 5 Pro, DJI Osmo Action 4 and 3 action cameras. With a form-fitting design, it easily secures or releases the camera via a press lock and gives full access to buttons and applying screen protector. The left side allows attaching DJI Mic and magnetic mounts on the bottom and the right side supports the original magnetic quick-release adapter or Adapter Mount 3662 for quick switch between horizontal and vertical modes. You can replace the battery from the right side without removing the cage. A cold shoe mount at the top and anti-twist 1/4"-20 thread holes on three sides are available for attaching accessories. Besides, optional Crab-Shaped Super Clamp 3757B & 3755B, and Magic Arm 3873 & 3874 help in time-lapse photography, skateboarding, and other scenes, and Suction Cup Camera Mount 3566 facilitates car shooting. In summary, this item provides protection as well as varied mounting points to meet your demands for more professional video.

## **Safety Guidelines**

### **1. Environment**

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### **2. Load Capacity**

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### **3. Cleaning & Maintenance**

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### **4. Structural Integrity**

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.



### **5. Malfunctions**

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.


# In the Box

Cage × 1

## Product Details



# Installation Steps



## Disassembly Steps

## Scenarios





# Specifications



Product Dimensions: 81.3 x 34.8 x 58.4mm

Package Dimensions: 121 x 103 x 43.5mm

Product Weight: 92g±5g

Package Weight: 133g±5g

Material(s): Aluminum Alloy, Silicone

## NOTES

For use in freshwater environments such as rivers and lakes, it is recommended to limit diving to a maximum of 8 hours. After submersion in freshwater, thoroughly dry the cage to prevent rusting of screws and other components. Additionally, the use of the cage in saltwater is not advised due to its lack of acid resistance and corrosion protection.

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

**RoHS**



*Séparez les éléments avant de trier*



Made in China