

SmallRig



Cage (for GoPro HERO 13 / 12 / 11 / 10 / 9 Black)

Operating Instruction

SmallRig Full Cage for GoPro 3084C is designed to protect the camera and provide accessory mounts. The cage fits the camera so well that it does not block the screen, buttons and USB-C port. It can be quickly locked by pressing the cover and released by pushing the button, and \ comes with two cold shoe mounts on the top and right side, compatible with microphone and LED video light. Its hollow-carved cold shoe design does not block GPS signal. On the bottom there are a GoPro mount and a 1/4"-20 threaded hole that support the original GoPro accessories(Including the GoPro ND Filter Kit for HERO 13 Black, GoPro Ultra Wide Lens Mod for HERO 13 Black GoPro Macro Lens Mod for HERO 13 Black, and GoPro Contacto Power Door for HERO Action Cameras.) or Tripod 3991, Magic Arm 3873 / 3874 / 3874 / 3959, Crab-shaped Clamp 3757B / 4102B, Suction Cup Mount 3565 / 4193. The side plate can also be quickly locked by pressing the cover and released by pushing the button for battery switches and gives access to type-c port; it features magnetic EVA to be easily mounted or removed. You can keep the side plate in place without disassembling the original one for better protection of the camera.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Guarantee Card × 1

Allen Wrench × 1

Cage × 1

Product Details



Moulded Design

Compatible with Max lens mod; oldable mount for GoPro original baseplate



Installation Guide

Installation Guide

Step 1



Step 2



Step 3




Step 4



Note Please don't use the cage in seawater because it has no acid and corrosion resistance.

Easy Assembly


Easy Assembly



Quickly locked by pushing the button



Specifications



Specifications:

Product Dimensions: 83.4 × 64.8 × 33.5mm

Package Dimensions: 120.0 × 100.0 × 40.0mm

Product Weight: 90.0 ± 5.0g

Package Weight: 126.0 ± 5.0g

Material(s): Aluminum Alloy

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS

CE



Séparez les éléments avant de trier



Made in China