

SmallRig



RA-S280A Air-Cushioned Light Stand with Arm

Operating Instruction

Air-Cushioned design to protect lights and fingers from accidental descent
Freely adjustable height from 94cm to 280cm, suitable for different scenarios;
Folded length of 94cm, easy to be carried with
Mainly made of aluminium alloy and iron; the iron support bar is 2.66mm thick and 15mm wide and the aluminium alloy knob is strong and durable; comes with high load-bearing capacity as well as quick and efficient flip lock
Flat 1/4"-20 threaded adapter features higher compatibility and securer accessory connection; and is made of strong and durable stainless steel to prevent wear and corrosion.Distance between legs at maximum extends to 1.2m for added stability; anti-slip and wear-resistant nylon foot pad.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

RA-S280A Air-Cushioned Light Stand	× 1	Boom Arm	× 1
Stainless Steel Connector	× 1	Sandbag	× 1
Guarantee Card	× 1	Sandbag	× 1

Product Details



High quality material for connecting various accessories

High-Quality Materials, Attention to Details



Anodized Flip Locks




Stainless Steel Adapter for Anti-Twist
with durable 1/4"-20 screw interface
provide maximum flexibility and security


Nylon Tipped Feet

Reinforced Support Frame

Maximum opening diameter is 1200mm / 47.2 in



Built-in air cushion to extend the life of the light stand



Air-Cushioned Shock Absorber System

Protects the light stand and lights by gently lowering the light for height adjustments, makes adjustments safe and prolongs the service life of the light stand



Storage height: 940mm
Working height: 2800mm



950mm~1700mm
Length adjustable





Strong All-Metal Boom Arm

This extendable aluminum alloy boom arm can pivot and swivel up to 180° for unlimited control. Separate tilt, pan and arm locking knobs

3737+3613



3737+3613+3754



Specifications



Specifications:

Storage Height : 940mm

Maximum Height : 2800mm

Boom Length Range : 950-1700mm

Stand Rod Diameter : 35-30-25mm

Boom Arm Diameter : 26-23mm

Foot Tube Diameter : 22mm

Maximum Load Capacity : 4kg

Light Stand Color : Black

Product Dimensions : 225mm×120mm×965mm

Package Dimensions : 460mm×24mm×980mm

Light Stand Net Weight : 3kg

Light Stand Gross Weight : 3.5kg

Light Stand Material : Aluminum Alloy

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS



Séparez les éléments avant de trier



Made in China