# **SmallRig**



Magic Arm with Dual Ball Heads (14"-20 Screw and NATO Clamp)

Operating Instruction

SmallRig Magic Arm with Dual Ball Heads (1/4"-20 Screw and NATO Clamp) 3875 is compact and lightweight. Both ball heads are 20mm in diameter, in which, one features an 1/4"-20 screw and stretchable pins that prevent twisting, and another has a NATO clamp that supports cage, top plate, etc. with a NATO rail. The adjustable thumb lever helps secure ball head at an appropriate angle and comes with a small magnetic wrench at the bottom to tighten the thumbwheels. At both ends of the ball head clamp there are notches which leave more space for flexible adjustment of ball heads as well as accessories mounted thereon. This item weighs only 91 g, making it easy to carry around and store

### **Safety Guidelines**

#### 1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### 2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

#### 3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

#### 4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

#### 5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

### In the Box

Magic Arm with Dual Ball Heads

× 1 × 1

Silicone Ring

### **Dual Ball Heads**

For Rotating at Any Angle



#### **Notice**

The monitor in the kit may interfere if rotated more than **180°.** 



# **Wide Compatibility**

Feature one 1/4"-20 screw and one 3/8"-16 locating screw for ARRI



### **Product Details Display**



1/4"-20 Screw

Large Diameter Ball Heads Silicone Ring

# **Built-in Magnetic Wrench**

A magnetic wrench at the bottom of the thumblever for convenient tightening of thumbwheels



## **Max Load Capacity**



### In the Box

Magic Arm with Dual Ball Heads  $\times$  1 Silicone Ring  $\times$  2







### **Specifications**

3875

Product Weight 0.2 lb

roduct Dimensions 5.5 × 0.9 × 1.7 inch

Package Weight

Package Dimensions

Material(s)
Aluminum Alloy,
Stainless Steel

Manufacturer Email: support@smallrig.com Manufacturer: Shenzhen Legi Innovation Co. Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuii Innovation Park, No. 58, Ping'an Road.

Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor Shenzhen LC Co. Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

























Made in China

Séparez les éléments avant de trier