

# SmallRig



## Universal Arca-Type Mount Plate Kit

Operating Instruction

SmallRig Universal 15mm Rail Support System Baseplate 2272 is a dedicated baseplate designed for mirrorless and DSLR cameras. It is height-adjustable to ensure different cameras sit on the baseplate complying with the LWS standard. Simply unscrew the wingnut on the side, adjust the height and tighten the wingnut. On the top are Arca compatible QR plate and receiver; attach the QR plate to SmallRig cage or camera tripod socket, drop it in to the receiver and tighten the knob screw. The baseplate holds SmallRig 15mm Rods 1053, where accessories like SmallRig Lens Support 2152, SmallRig Shoulder Pad 2077, Matte Box and follow focus can be attached. Additionally, there are multiple 1/4"-20 and 3/8"-16 threaded holes on the bottom of the baseplate so tripod plates can be attached.

## **Safety Guidelines**

### **1. Environment**

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### **2. Load Capacity**

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### **3. Cleaning & Maintenance**

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### **4. Structural Integrity**

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

### **5. Malfunctions**


Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## In the Box

Baseplate 2272 × 1  
Hex Spanner × 2


Guarantee Card × 1

## Product Details




## Product selling point

1. Designed for mirrorless and DSLR cameras;
2. Arca compatible QR plate and receiver on the top;
3. 15mm rail support provided;
4. Height adjustable;
5. 1/4"-20 and 3/8"-16 threaded holes on the bottom for attaching tripod plates.



Quick Release Plate & Receiver  
for Arca Standard




15mm Rod Clamp




Knob Screws

Toolless Operation



### Height Adjustable

Simply unscrew the wingnut on the side, adjust the height and tighten the wingnut.




## A dedicated baseplate designed for mirrorless and DSLR cameras

### Compatibility:

Sony A6000/A6300/A6400/A6500/A7/A7II/  
A7SII/A7RII/A9/A7III/A7RIII  
Panasonic GH3/GH4/GH5/G80/GX85/G7/G85/G9  
Canon 5D Mark IV/M50/M5/M3/M6/EOS R  
Fujifilm X-H1/X-T1/X-T2/X-T20  
Olympus E-M1 Mark II  
Nikon Z6/Z7  
Canon EOS R/Canon EOS RP





### Parameters:

Product Dimensions: 108 x 68 x 54 mm

Package Dimensions: 126 x 110 x 88 mm

Net Weight: 267g

Package Weight: 337g

Material(s): Aluminum Alloy

Manufacturer Email: [support@smallrig.com](mailto:support@smallrig.com)  
Manufacturer: Shenzhen Leqi Innovation Co., Ltd.  
Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.  
Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

**RoHS** **CE** 



*Séparez les éléments avant de trier*



Made in China