

SmallRig



Crab-Shaped Clamp

Operating Instruction

SmallRig Crab-Shaped Clamp 3755B is made of aircraft-grade aluminum alloy and stainless steel, CNC machined and carved to increase sturdiness and durability. It features skeletal design and shark clamp with stronger clamping force as well as widely compatible 1/4"-20 threaded holes, 3/8"-16 threaded holes and ARRI 3/8"-16 locating holes. The clamp, which supports rod of a minimum diameter of 14mm and surface with a maximum thickness of 65mm, can quickly attach cameras, monitors, LED lights, etc. to round pipes, tables, handlebars, tripods and stabilizer handheld rings. In addition, built-in cushions provide protection and clamping stability.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Crab-Shaped Clamp

× 1

Guarantee Card

× 1

Product Details



Easy to Use





Specifications



Compatibility

Rod 14mm - 60mm in diameter Surface thickness up to 65mm.

Product Parameters :

Product Dimensions: 3.5 × 2.6 × 0.7in / 89.8 × 66.3 × 18.0mm

Package Dimensions: 4.2 × 3.9 × 1.3mm / 106.0 × 99.0 × 33.0mm

Net Weight: 3.7±0.2oz / 105.0±5g

Package Weight: 8.6±0.2oz / 244g±5g

Material: Aluminum Alloy, Stainless Steel, Silicone

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS



Séparez les éléments avant de trier



Made in China