SmallRig



Encore DT-30 Desk Mount with Holding Arm

Operating Instruction

SmallRig Encore DT-30 Desk Mount with Holding Arm 3992 is mostly used for photography, videography, live streaming, vlog shooting, makeup, selfle, etc. Made of strong, durable aluminum alloy, the anti-rust stand features easy-to-clean, anti-fingerprint frosted surface. Designed with 3 extension rods that can extend up to 1m of working height. The mount is anodized and CNC machined, and also comes with a 360° rotating removable ball head (Φ22mm) and bears a load of 3-10KG. The 1/4" screw on the top ensures 360° swivel for panorama shooting and -90°/+45° tilt for multi-angle shooting without disassembling the devices. This mount fits up to 5cm / 2" thick desks, making it more space-saving than a light stand. Its 355mm long aluminum alloy holding arm, with a load capacity of 2KG, has a Φ18mm ball head and a 1/4" screw on the top for attaching LED light, microphone, smartphone, etc.; the attached ring light adaptor perfectly works with DSLR camera, smartphone, ring light, panel light, etc.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Desk Mount Stand with Ball Head	× 1	Holding Arm	× 1
Ring Light Adaptor	× 1	Guarantee Card	× 1

Product Details

Made of aluminum alloy, durable, stable, and portable. Folded length (Minimum): 480mm; working height (Maximum):1M.



Anodized and CNC machined; 360° rotating detachable ball head ($\Phi22mm$), sturdy and durable.

Easy to Use

Load capacity: 3-10KG, perfect for ring light, DSLR camera, smartphone, panel light, etc.



Aluminum alloy holding arm, with a total length of 355mm and a load capacity of 2KG.





Specifications



Product Dimensions: 485 x 54 x 42mm Package Dimensions: 440 x 120 x 60mm

Product Weight: 624a±50a Package Weight: 850g+50g

Material(s): Aluminum Allov(85%), ABS(10%), Iron(3%), Stainless Steel(2%)

Stand Rod Diameter: 25/22/19mm

Rod Sections: 3

Folded Height: 480mm

Working Height(Max): 1M

Stand Ball Head Diameter: 22mm

Stand Open Distance: 50mm / 2"

Desk Mount Stand Load Capacity: 3-10kg

Holding Arm Length: 355mm

Holding Arm Ball Head Diameter: 18mm Holding Arm Open Distance: 22-28mm

Holding Arm Load Capacity: < 2kg

Manufacturer Email: support@smallrig.com Manufacturer: Shenzhen Legi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuii Innovation Park, No. 58, Ping'an Road. Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.























Made in China