

# SmallRig



## Metal Phone Support with Cold Shoe Mount

Operating Instruction

SmallRig Metal Phone Support with Cold Shoe 4382 can be mounted on the top of the camera with Cold Shoe Mount and supports phones with a width of 57-88mm / 2.5-3.5in. Quick switching between landscape and portrait modes and easy angle fixing with more than 90° rotating. There is a 1/4"-20 threaded hole at the bottom for RS 3 mini or tripod, and a cold shoe mount on top for microphone or light.

## Safety Guidelines

### 1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### 2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### 3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### 4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

### 5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## In the Box

Phone Holder

× 1

Guarantee Card

× 1

# The Adjustable Length Allows a Wide Range of Possibilities

Supports phones with a width of 57-88mm / 2.5-3.5in



# Easy Installation

Mount SmallRig Metal Phone Support on top of your camera cage or top handle with Cold Shoe Mount

Step 1



Step 2





## Landscape-to-Portrait in Second

Rotate the holder by 90° to easily switch between the modes



# Reach Full Potential

Adjust the angle via three rotary joints to suit your needs



1



180° Rotation

2



360° Rotation

3



360° Rotation

# Transform the Interface

Mount onto RS 3 Mini or tripod using a 1/4"-20 threaded hole at the base


Cold shoe mount on top for a microphone or light\*

Well-spaced threaded holes to facilitate the installation of power bank holders



\* When installing the cold shoe mount, ensure that the arrow on the mount points upwards

# Product List and Specifications



## Product Dimensions

103 × 31.3 × 41.3mm  
4.1 × 1.2 × 1.6in

## Package Weight

113 ± 5.0g / 4.0 ± 0.2oz

## Package Dimensions

155 × 81.5 × 42mm  
6.1 × 3.2 × 1.7in

## Material(s)

Aluminum Alloy, Stainless Steel, Silicone

## Product Weight

73 ± 5.0g  
2.6 ± 0.2oz

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

**RoHS**



*Séparez les éléments avant de trier*



Made in China