

SmallRig



Lightweight Video Tripod Kit AD-50Lite

Operating Instruction

SmallRig Lightweight Video Tripod Kit AD-50Lite 4684 is a lightweight video tripod kit to facilitate video shooting. The tripod legs are made of aluminum alloy, through the 2-1-1 arrangement, to provide stable performance and reduce the weight, the weight of the kit is only 2.8kg (6.2lb); suitable for site mobility of the video shooting scene; tripod comes with a center quick lift rope design, by connecting the center connector pull ring and the bottom of the bowl seat pull ring, you can quickly lift the center connector, reduce the space occupied by the tripod; the tripod through the knob locking method locking legs, the kit system working height range of 75~158cm (29.5~62.2in), folder length of 79cm (31.1in). The video head with fixed damping system and fixed counterbalance system to provides smooth pan and tilt camera movements; The video head load capacity is 5kg (11lb), which can meet the use of small camera; the tripod is equipped with an anti-dislodgement foot spiked design, and the spiked feet mode can be switched through the rotating feet pads, which can meet the needs of different scenarios. The tripod comes with a anti-deflection 1/4"-20 threaded hole to expansion of external devices such as such as a magic arm, microphone, monitor, or image transmitter.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Tripod × 1

Allen Wrench × 1

Smartphone Holder × 1

Storage Bag × 1

Guarantee Card × 1

Product Details




Height Adjustable



Easy to Use



Compact and lightweight



Specifications

Specifications

Product Dimensions
790.0 × 145.0 × 145.0 mm
31.1 × 5.7 × 5.7 in

Package Dimensions
815.0 × 150.0 × 150.0 mm
32.1 × 5.9 × 5.9 in

Product Weight
2.80 ± 0.1kg / 6.16 ± 0.02lb

Package Weight
3.77 ± 0.1kg / 8.30 ± 0.02lb

Adjustable Height
75cm - 158cm / 29.5in - 62.2in

Closed Length
79cm / 31.1in

Leg Diameter
14mm / 24mm / 20mm
0.55in / 0.94in / 0.79in

Leg Sections
3

Bowl Adapter Diameter
65mm / 2.56in

Tilt Range
90° / -75°

Tilt Drag / Pan Drag
Fixed

Counterbalance System
Fixed

Pan Bar Length
28cm / 11in

Quick Release Plate Length
10.5cm / 4.1in

Material(s)
Aluminum Alloy, ABS, Stainless Steel, Silicone

Package

Tripod × 1
Allen Wrench × 1
Smartphone Holder × 1
Storage Bag × 1



Manufacturer Email: support@smallrig.com
Manufacturer: Shenzhen Leqi Innovation Co., Ltd.
Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.
Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS **CE** 



Séparez les éléments avant de trier



Made in China