

Tripod / Lighting Control / Camera Battery

Comprehensive Shooting Solution



-  SmallRig
-  SmallRig
-  SmallRig.Global
-  SmallRig.Global
-  SmallRigGlobal

1st EDITION
2025

► Introduction

Established in 2013, SmallRig specializes in designing and creating comprehensive ecosystems for content creators. The company is dedicated to providing solutions for camera and mobile device support and expansion, lighting control, powering, and more. With a focus on versatility, compatibility, and fast and efficient manufacturing, SmallRig has built a strong reputation for delivering high-quality accessory solutions to over 4 million creators worldwide.

SmallRig has introduced the User Co-Design (UCD) and DreamRig Program, which allows global creators to collaborate and customize products. Through partnerships with industry peers and users, SmallRig aims to empower creators and expand the boundaries of visual content creation.

► Brand Achievements

Brand Recognitions

- TOP 100**
2023 China Cross-Border E-commerce Brand
- TOP 30**
2023 Q3 Global Consumer Electronics Brands' Social Media Influence
- 30 & 30**
Forbes China Globalization Innovators
- TOP 100**
2023 Chinese Brands Going Global (CBNData)

International Design Awards



Patents

511+



► SmallRig Product Ecosystems

Comprehensive
Complete
Compatible

Camera
Support
and
Stabilization

Mobile Phone
Expansion
and
Stabilization

Tripod

General Accessories

Power
Solution

Stabilizer Accessories

Tools and Cables

Follow Focus

Matte Box

Lighting
Control





TRIPOD

SmallRig continually innovates tripod structures, leg-locking mechanisms, and head functionalities to enhance overall performance, creating a versatile ecosystem that caters to the needs of everyone involved in visual content creation.

SmallRig offers diverse solutions from lightweight portability to heavy-duty stability, ensuring every creator finds their ideal choice.

• Photo Tripod

• Video Tripod

TRIBEX Hydraulic Carbon Fiber Tripod Kit

★★★
Top-Tier Flagship Product

Enables creators to swiftly extend all legs with a single clutch squeeze, automatically securing the legs in place for a rapid setup


X-Clutch Hydraulic Technology

Instant single-action extension and adjustment of all legs with a self-locking system



Inspired by Motorcycle Clutch Handles

- Multi-angle adjustment to accommodate various shooting scenarios
- Advanced grip experience
- Ergonomic design with eco-friendly silicone coating



Upgraded Compact Hydraulic Fluid Head

- 4-step dynamic counterbalance, supporting up to 6kg (13.2lbs)
- Stepless tilt and pan damping adjustment
- Compatible with Manfrotto and DJI RS series plates



Multi-stage Leg Extension

Detachable center column for ultra-low angles

Height Range

27.0 - 168.0cm / 10.6 - 66.1in



Compact Storage in a 28-inch Suitcase

- Tripod Storage Length 66.0cm / 26.0in
- Tripod Kit Storage Length 79cm / 31.1in
- Leg lock design prevents crossing for neat storage

Carbon Fiber Legs Only

2.5kg / 5.5lb



PHOTOGRAPHY
TRIPOD

Compact, Lightweight, and Versatile Solution

ID 4222 AP-02
SmallRig Lightweight Travel Tripod

- ▲ Sturdy aluminum alloy construction reduces the tripod weight
- ▲ Unique Ø50mm / 2.0in leg design for stable support
- ▲ Only 1.15kg / 2.5lb, with a maximum load capacity of 8kg / 17.6lb



ID 4353 AP-100
SmallRig FreeSpeed Travel Tripod

- ▲ Carbon fiber legs with a safe load capacity of 15kg / 33.1lb
- ▲ Innovative FreeSpeed technology
- ▲ Compact head with a patented fully compatible with Arca-Swiss quick release baseplate



ID 4059 AP-20
SmallRig Carbon Fiber Tripod with Center Column

- ▲ Carbon fiber legs with a weight of 1.2kg / 2.6lb and a safe load capacity of 12kg / 16.45lb
- ▲ 23°, 55°, and 85° angle adjustments
- ▲ Inverted center column for low-angle shots
- ▲ Easily transforms into a monopod



ID 4060 AP-10
SmallRig Carbon Fiber Tripod AP-10

- ▲ Carbon fiber legs offer adjustable length from 54.0 to 133.0cm / 21.2 to 52.4in
- ▲ 23°, 55°, and 85° angle adjustments
- ▲ Easily transforms into a monopod



VIDEO TRIPOD

Stable support and secure load-bearing capacity, paired with a professional-grade fluid head for seamless tilt and pan control, cater to the creative demands of filmmaking

ID 4475 CT-210
SmallRig Video Tripod Kit CT210

- ▲ Seamless transition between Manfrotto / DJI RS series stabilizers
- ▲ Integrated bowl base allows for swift leveling and supports up to 6kg / 13.2lb
- ▲ +90° to -65° tilt and 360° pan adjustment
- ▲ Easily transforms into a monopod



ID 4319 CT-190
SmallRig FreeBlazer Aluminium Alloy Video Tripod CT190

- ▲ Weighs 1.8kg / 4.0lb, with a head payload of 4kg / 8.8lb and a tripod payload of 15kg / 33.1lb
- ▲ Integrated bowl design for quick leveling
- ▲ Telescopic dual-sided handle
- ▲ +90° to -55° tilt and 360° pan adjustment
- ▲ Easily transforms into a monopod



ID 4685 AD-50
SmallRig Lightweight Video Carbon Fiber Tripod Kit AD-50

- ▲ Weighs 2.8kg / 6.2lb, with a head payload of 6kg / 13.2lb and stepless damping adjustment
- ▲ Central pull-up design for swift maneuvering
- ▲ Center-mounted drawstring for fast tripod adjustment



ID 4465 AD-Pro8
SmallRig FreeBlazer Counterbalance Carbon Fiber Video Tripod Kit AD-Pro8

- ▲ 4-step tilt and pan hydraulic damping, 6-step dynamic counterbalance
- ▲ Adjustable carbon fiber legs with FreeSpeed quick release technology and detachable center and ground spreaders
- ▲ 196cm / 77.2in working height
- ▲ Touch-and-Go quick release mount plate



ID 3989 AD-100
SmallRig FreeBlazer Carbon Fiber Tripod Kit

- ▲ One-step locking system carbon fiber legs, supporting up to 10kg / 22.0lb and reaching a height of 197cm / 77.5in
- ▲ Snap-on quick release plate for easy transitions between Manfrotto and DJI RS series
- ▲ FreeSpeed quick release technology with a +90° to -60° tilt and a 360° stepless pan adjustment



ID 4463 AD-120
SmallRig Heavy-Duty Carbon Fiber Tripod Kit

- ▲ Stepless damping balance, with minimal horizontal damping and 6-step adjustable counterbalance
- ▲ Adjustable carbon fiber legs with FreeSpeed quick release technology with center and ground spreaders
- ▲ 197cm / 77.5in working height
- ▲ Snap-on quick release mount plate



AD SERIES



SmallRig x *POTATO JET*
TRIBEX Hydraulic Carbon
Fiber Tripod Kit



Heavy-Duty Fluid Head Tripod
AD-01



FreeBlazer Counterbalance
Carbon Fiber Video Tripod kit
AD-Pro8



Lightweight Video Tripod Kit
AD-50Lite



Lightweight Video Carbon Fiber
Tripod Kit AD-50



FreeBlazer Heavy-Duty
Aluminium Alloy Tripod Kit AD-80



SmallRig FreeBlazer Carbon
Fiber Tripod Kit AD-100



SmallRig Heavy-Duty Carbon
Fiber Tripod Kit AD-120

SKU	4259	3751B	4465	4684	4685	4163	3989	4463
<i>FreeSpeed</i>	Yes	No	Yes	No	No	Yes	Yes	Yes
Material	Carbon Fiber	Aluminum Alloy	Carbon Fiber	Aluminum Alloy	Carbon Fiber	Aluminum Alloy	Carbon Fiber	Carbon Fiber
Central Axis	Yes	No	No	No	No	No	No	No
Weight	3.8kg / 8.4lb	4.0kg / 8.8lb	5.8kg / 12.8lb	2.8kg / 6.2lb	2.8kg / 6.2lb	4.38kg / 9.66lb	5.0kg / 11.0lb	5.9kg / 13.0lb
Working Height	27.0 - 168.0cm / 10.6 - 66.1in	85.0 - 186.0cm / 33.5 - 73.2in	58.0 - 196.0cm / 22.8 - 77.2in	75.0 - 158.0cm / 29.5 - 62.2in	73.0 - 163.0cm / 28.7 - 64.2in	87.0 - 191.0cm / 34.2 - 75.2in	94.0 - 197.0cm / 37.0 - 77.56in	58.0 - 197.0cm / 22.8 - 77.56in
Folded Height	78.0cm / 30.7in	89.0cm / 35.0in	97.0cm / 38.2in	79.0cm / 31.1in	79.0cm / 31.1in	90.0cm / 35.4in	99.0cm / 39.0in	99.0cm / 39.0in
Type of Plate	Manfrotto	Manfrotto	Manfrotto	Manfrotto	Manfrotto	Manfrotto	Manfrotto	Manfrotto
Tripod Payload	15.0kg / 33.1lb	8.0kg / 17.6lb	15.0kg / 33.1lb	10.0kg / 22.0lb	15.0kg / 33.1lb	15.0kg / 33.1lb	15.0kg / 33.1lb	15.0kg / 33.1lb
Head Load Capacity	6.0kg / 13.2lb	6.0kg / 13.2lb	8.0kg / 17.6lb	5.0kg / 11.0lb	6.0kg / 13.2lb	6.0kg / 13.2lb	8.0kg / 17.6lb	8.0kg / 17.6lb
Dynamic Balance Adjustment	4-Step Dynamic Counterbalance (0, 1, 2, 3)	Fixed	6-Step Dynamic Counterbalance (1, 2, 3, 4, 5, 6)	Fixed	Fixed	Fixed	Fixed	6-Step Dynamic Counterbalance (1, 2, 3, 4, 5, 6)
Dynamic Counterbalance	0 - 6.0kg / 0 - 13.2lb	4.0kg / 8.8lb	1.0 - 8.0kg / 2.2 - 17.6lb	3.0kg / 6.6lb	4.0kg / 8.8lb	4.0kg / 8.8lb	5.0kg / 11.0lb	1.0 - 8.0kg / 2.2 - 17.6lb
Damping Adjustment	Stepless Pan and Tilt Damping	Fixed	4-Step Pan Damping (1, 2, 3, 4) 4-StepTilt Damping (0, 1, 2, 3)	Fixed	Fixed Pan Damping Stepless Tilt Damping	Fixed	Fixed Tilt Damping Stepless Pan Damping	Stepless Pan and Tilt Damping
Locking Method	Clutch	Lever	Lever	Knob	Knob	Lever	Lever	Lever
Mid-level Spreader	/	Fixed	Adjustable	Fixed	Adjustable	Fixed	Adjustable	Adjustable
Ground Spreader	/	/	Adjustable	/	/	/	/	Adjustable

AP SERIES



Lightweight Travel Tripod AP-02



Carbon Fiber Tripod AP-10



Carbon Fiber Tripod
with Center Column AP-20



Travel Video Tripod Kit AP-20



FreeRover Carbon Fiber Photo
Tripod Kit AP-100

SKU	4222	4060	4059	4221	4353
FreeSpeed	No	No	No	No	Yes
Material	Aluminum Alloy	Carbon Fiber, Aluminum Alloy	Carbon Fiber, Aluminum Alloy	Carbon Fiber	Carbon Fiber, Aluminum Alloy
Central Axis	Yes	No	Yes	No	Yes
Weight	1.09kg / 2.4lb	1.2kg / 2.6lb	1.2kg / 2.6lb	1.2kg / 2.6lb	1.38kg / 3.04lb
Working Height	75.0 - 159.0cm / 29.5 - 62.6in	54.0 - 133.0cm / 21.2 - 52.4in	44.0 - 158.0cm / 17.3 - 62.2in	44.0 - 158.0cm / 17.3 - 62.2in	13.0 - 150.0cm / 5.1 - 59.05in
Folded Height	53.0cm / 20.9in	54.0cm / 21.2in	41.0cm / 16.1in	41.0cm / 16.1in	49.0cm / 19.3in
Mount Plate Type	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release
Tripod Payload	15.0kg / 33.1lb	12.0kg / 26.45lb	12.0kg / 26.45lb	12.0kg / 26.45lb	15.0kg / 33.1lb
Head Load Capacity	8.0kg / 17.6lb	8.0kg / 17.6lb	8.0kg / 17.6lb	4.0kg / 8.8lb	8.0kg / 17.6lb
Dynamic Adjustment	Lever	Lever	Lever	Lever	Knob

CT SERIES



Aluminum Camera Tripod CT-10



Aluminium Alloy Tripod CT-20



Video Tripod Kit CT180



FreeBlazer Aluminium Alloy
Video Tripod CT190



FreeBlazer Aluminium Alloy
Video Tripod Kit CT195



Lateral Center
Column Tripod CT200



Video Tripod Kit CT210

SKU	3935	3474C	3760B	4319	4307	4288	4475
FreeSpeed	No	No	No	No	No	No	No
Material	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy
Central Axis	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Weight	1.5kg / 3.3lb	1.57kg / 3.46lb	1.45kg / 3.2lb	1.8kg / 4.0lb	2.0kg / 4.4lb	2.1kg / 4.6lb	2.5kg / 5.5lb
Working Height	23.0 - 182.0cm / 9.05 - 71.65in	23.0 - 200.0cm / 9.05 - 78.74in	39.0 - 175.0cm / 15.3 - 68.9in	39.0 - 184.0cm / 15.35 - 72.44in	46.0 - 185.0cm / 18.1 - 72.8in	26.0 - 185.0cm / 10.2 - 72.8in	29.0 - 192.0cm / 11.4 - 75.6in
Folded Height	40.0cm / 15.7in	47.0cm / 18.5in	37.0cm / 14.56in	45.0cm / 17.7in	46.0cm / 18.1in	63.0cm / 24.8in	61.0cm / 24.0in
Mount Plate Type	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Arca-Swiss Quick Release	Manfrotto
Tripod Payload	15.0kg / 33.1lb	15.0kg / 33.1lb	15.0kg / 33.1lb	15.0kg / 33.1lb	15.0kg / 33.1lb	10.0kg / 22.04lb	10.0kg / 22.04lb
Head Load Capacity	8.0kg / 17.6lb	8.0kg / 17.6lb	3.0kg / 6.6lb	4.0kg / 8.8lb	5.0kg / 11.0lb	8.0kg / 17.64lb	6.0kg / 13.2lb
Dynamic Adjustment	Lever	Lever	Knob	Knob	Knob	Knob	Lever



LIGHTING MASTERY

The SmallRig's lighting ecosystem seamlessly integrates premium light sources with user-friendly control, complemented by a wide array of lighting accessories for a variety of scenarios. This combination offers creators the ultimate solution, providing exceptional illumination, easy adjustment, and precise control.

Add Depth to Your Story

RF 10C Portable Focusable LED Video Light




Maximum Illuminance:	1150Lux@0.3m / 5600K
TLCI:	98+
CRI:	96+

RF 10C Portable Focusable LED Video Light ID 4634

Convey a Particular Mood

Switch between 4 Colors for Max Impact



Art On-the-Go

Mastery of light play within a compact size
Silicone Gobo adapter folds down to 1.95cm / 0.8in



Extended Battery Life

Built-in 7500mAh lithium battery provides 3H+ of work at full power



*Data sourced from SmallRig Lab

Adjustable Beam Focus



Light Up Inspiration

Vibe P96 / P108 Pro mini LED Video Light



Maximum Illuminance:	1150Lux@0.3m / 5600K
CT:	2500K - 6500K (±200K)
TLCI:	98+
CRI:	95+

Vibe P96 Pro mini LED Video Light (Black) ID 4660

Vibe P108 Pro mini LED Video Light ID 4661

Pocket-Size Lighting

Stepless ring knob for seamless color, brightness, and temperature adjustments



Compact Embedded LCD Color Screen For More Convenient Control

FX	INT	HUE	INT	CCT	INT
100%	100%	359°	100%	5600K	100%
		SAT	90		

Quick Release Base for Easy Switching of Settings



Macaron-Inspired Design and 1.5H of Full-Power Battery Life



Universal LED Light Ecosystem

Vibe P80 LED Video Light	ID 3482B
RM01 Kit mini LED Video Light	ID 3469
RM75 RGBWW Video Light	ID 3290
RM120 RGB Video Light	ID 3808
P200 Beauty Panel Video Light (CN)	ID 4066
Vibe P108 Full Color mini LED Video Light ("Phonograph" Limited Edition)	ID 4276



Explore a New Realm of Portable Video Lighting

RC 60B Portable COB LED Video Light



Maximum Illuminance:	54300Lux
CT:	2700K - 6500K (±200K)
TLCI:	98+
CRI:	97+

SmallRig RC 60B COB LED Video Light (Lite Edition) ID 4518 :
RC 60B COB LED video light, mini reflector, 3m / 9.8ft USB-C to USB-C PD charging cable



Palm-Sized and
Lightweight

Only
650g / 22.9oz



1.3-inch LED Screen
Simple interface with two
separate control knobs



External Battery
Power Option
Charge while shooting



49Wh
Lithium Battery

75min
Battery Life in ECO Mode

45min
Battery Life at Full Power



Compatible with a Variety of Light Control and Power Accessories

	 RC 60B COB LED Video Light	 Mini Reflector	 Silicone Diffuser	 Bowens Bayonet Adapter	 Power Bank Clamp
	 USB-C to USB-C Charging Cable	 PD Power Bank	 PD Charger	 Light Stand	 Handle

Efficiency Redefined

RC 100B COB LED Video Light Kit
RC 100C COB Video Light Series



Maximum Illuminance:	20100Lux@1m / 5600K (RC 100B)	3650Lux@1m / 5600K (RC 100C)
CT:	2700K - 6500K	2500K - 10000K
TLCI:	98+	98+
CRI:	97+	96+

RC 100B COB LED Video Light (Standard Version) ID 4893
RC 100B COB LED Video Light (Mobile Version) ID 4894

On-the-Go Lighting Anytime, Anywhere

Nearly 20% smaller than typical
100W fill lights

700g / 1.54lb

*Data sourced from SmallRig lab



Versatile Lighting Control

- SmallGoGo App Wireless Remote Control
- On-Body Control
- DMX Control



D-Tap or Type-C output

Max 100W output (Type-C),
Max 168W output (DC)

*The RC100 can last 45 minutes
at max brightness when powered
by the handle.



4 Power Options for Infinite Lighting & Creation

- V-Mount Battery
- DC Power Adapter
- USB-C
- NP-F970 Rechargeable Camera Battery

*Requires mount plate; operates at
60% power with 2 NP-F970 batteries



Full-Color Spectrum with RC 100C

Combine warm white with RGB for
natural sunlight-like lightcolors

36,000+ colors



Where Professionalism Meets Innovation

RC 220B Pro COB LED Video Light Series



Maximum Illuminance:	9180Lux (RC 220B Pro)	10500Lux (RC 220D Pro)
CT:	2700K - 6500K (RC 220B Pro)	5600K (RC 220D Pro)
TLCI:	96+	
CRI:	95+	

RC 220B Pro COB LED Video Light ID 4620
RC 220D Pro COB LED Video Light ID 4625


Revolutionized Illumination

24% Smaller than the Previous Model Innovative V mount quick release attachment mechanism

220 2RD



Three Times Optics Design to Elevate Light Quality



Triple Power Supply for Extended Battery Life

Power Adapter



V Mount Battery



*For V Mount batteries with a voltage below 20V. Max input power is 150W

NP-F970 Rechargeable Battery



*Requires the use of an NPF adapter. Max input power is 60W

4 Lighting Control Options for Any Scenario

- On-Body Control
- SmallGoGo App Wireless Remote Control
- Control Panel Dimming
- DMX Control

*Control panel (ID: 3980) and DMX adapter (ID: 4390) sold separately



COB Light Ecosystem

RC 220C	ID 5097(US), 5098(EU), 5099(UK), 5100(AU), 5101(JP)
RC 220B PRO	ID 4620(US), 4621(EU), 4622(UK), 4623(AU), 4624(JP)
RC 220D PRO	ID 4625(US), 4626(EU), 4627(UK), 4628(AU), 4629(JP)
RC 100C	ID 5381(US), 5380(EU), 5379(UK), 5378(AU), 5383(w/grip), 5377(Ink Blue), 5340(White)
RC 100B	ID 5094(US), 5142(EU), 5143(UK), 5167(AU), 4897(w/grip)
RC 60C	ID 4808(Lite Edition), 4810(Powerbank Clamp Edition)
RC 60B	ID 4518(Lite Edition), 4376(Powerbank Clamp Edition)
RC 30B	ID 4279(US), 4280(EU), 4281(UK)



One-Step Soft Glow

LA-O90 Octagonal Softbox



LA-O90 Octagonal Softbox Kit (ID 4633) :

Octagonal softbox, inner diffusion fabrics, outer diffusion fabrics, honeycomb grid, storage bag

Advanced Quick Release Mechanism

One-click, secure, and efficient setup




Compact Elegance

Only 900g / 31.7oz and just 76cm / 29.9in when stored



Compatible with Standard Bowens Mount

Expand with multiple lighting accessories



Light Control and Support Ecosystem

ID 4158
Parabolic Softbox
LA-D85



ID 4157
Parabolic Softbox
LA-D65



ID 3586
Parabolic Softbox
RA-D85



ID 3585
Parabolic Softbox
RA-D55



ID 4140
Parabolic Softbox
RA-D120



ID 4358
Mini Parabolic Softbox
RA-D30 mini



ID 4156
Lantern Softbox
LA-L65



ID 3754
Lantern Softbox
RA-L65



ID 3932
Lantern Softbox
RA-L90



ID 3930
Rectangular Softbox
RA-R6090



ID 3931
Strip Softbox
RA-R30120



ID 4199
Rectangular Softbox
LA-R6090



ID 4200
Strip Softbox
LA-R30120



ID 4246
Fresnel Lens
RA-F150



ID 4204
8-leaf Barndoors
RA-BD08



ID 3736
Air-Cushioned Light Stand
RA-S280



ID 4379
Light Stand
RA-S200



ID 4344
C Light Stand with Boom Arm
RA-C330



ID 3737
Air-Cushioned Light Stand with Arm
RA-S280A





CAMERA POWER SOLUTIONS

PowerADC is SmallRig's exclusive intelligent charging technology, encompassing chip software, hardware circuits, compact structural design, and heat dissipation solutions. Through the enhancement and integration of these components, we achieve safe and stable fast charging while keeping the products compact.

Long-Lasting and Fast-Charging Power Solution

NP-F970 USB-C Rechargeable Camera Battery

- 

Over-Discharge Protection
- 

Cell Protection
- 

Short Circuit Protection
- 

Overload Protection
- 

Low Temperature Protection
- 

High Temperature Protection
- 

Over-Voltage Protection
- 

Overcurrent protection



NP-F970 USB-C Rechargeable Camera Battery

(ID 4469: black, ID 4577: green, ID 4576: orange) :


NP-F970 USB-C rechargeable camera battery, battery cover, USB-C to USB-C charging cable



10500mAh
Extra-Large Capacity



36W
USB-C Fast Charging and Discharging



3.5Hours
Full Charging

Independent Circuit Design


Simultaneous fast charging for USB-A and USB-C ports



NP-F Main Port
USB-A (Out)
USB-C (In / Out)

Smart Control Screen

When the battery level is below 10%, the screen flashes



88%

Multiple Color Options: Black, Green, Orange



USB-C Rechargeable Camera Battery Ecosystem

LP-E6NH USB-C Rechargeable Camera Battery	ID 4264
NP-W235 USB-C Rechargeable Camera Battery	ID 4266
NP-FZ100 USB-C Rechargeable Camera Battery	ID 4265B
EN-EL15c USB-C Rechargeable Camera Battery	ID 4332B
NP-FW50 USB-C Rechargeable Camera Battery	ID 4330
EN-EL25 USB-C Rechargeable Camera Battery	ID 4333
NP-F550 USB-C Rechargeable Camera Battery	ID 4331
NP-F970 USB-C Rechargeable Camera Battery	ID 4267



Continuous Power Support

VB50 mini V Mount Battery




VB50 mini V Mount Battery
(ID 3579BC: black, ID 4872: green, ID 4871: orange)


OLED Display and Intelligent Control Buttons for Monitoring Battery Status



BMS Intelligent Chip
Supports Multiple Protocols for High-Power Fast Charging



High-Density LG Lithium Battery Cells with Efficient Charge and Discharge Cycles



Multiple Interfaces for Greater Compatibility



Multiple Color Options



Continuous Power Support

VB99 SE mini V Mount Battery

- Over-Discharge Protection
- Cell Protection
- Short Circuit Protection
- Overload Protection
- Temperature Protection
- Overcharge and Overcurrent Protection



VB99 SE mini V Mount Battery ID 4608

Safe Fast Charging

65W^{max}
Fast Charging
3H
Charge Time



*Data sourced from SmallRig Lab

OLED Display



Top-Class Battery Cells

Cycle performance and exceptional stability

3400 mAh

Wide Range of Interfaces



Titan Among Batteries

VB212 mini V Mount Battery

- 

Over-Discharge Protection
- 

Cell Protection
- 

Short Circuit Protection
- 

Overload Protection
- 

Low Temperature Protection
- 

High Temperature Protection
- 

Over-Voltage Protection
- 

Overcurrent Protection



SmallRig x Caleb Pike VB212 mini V Mount Battery ID 4293:
VB212 mini V mount battery, 240W USB-C charging cable

12 Built-in LG Batteries with 5000 mAh per Density Cell

- 8 Advanced Intelligent Safety Features
- Over 1,500 Safety Tests to Ensure Product Quality




Full Range of Interfaces

Parallel Circuit For Fast Charging 2 Devices Simultaneously



Lightning-Fast PD3.1 Charging





212Wh
Capacity

2 Hours
Full Charge

V-mount Battery Ecosystem

X99 X-TOUCH Triple-proof V-mount Battery	ID 4984
VB212 mini V Mount Battery	ID 4293
VB99 Pro mini V Mount Battery	ID 4292
VB99 mini V Mount Battery	ID 3580B
VB99 SE mini V Mount Battery	ID 4608
VB50 mini V Mount Battery	ID 3579B



Great Power of Pocket Size

Compact V-Mount Battery Mounting System



V-Mount Battery Mount Plate Kit (ID 4063B) includes:
V-Mount battery plate, Arca-Swiss quick release plate, 15mm rods,
chest support, V-Mount backplate


Supports Attaching V Mount Batteries, NP-F Batteries,
Power Banks, and Other Power Supplies



Modular Compact Design
Only
193g / 6.8oz




Arca-Swiss Quick Release Plate



90° Rotation for Unobstructed
Flip Screen Access



Retractable Baseplate Extends Up to
36.5mm / 1.4in Fitting Most of the
Mirrorless and SLR Cameras



Battery Accessories Ecosystem

V-Mount Battery Mount Plate	ID 4505	Dual Channel V-Mount Battery Charger (US)	ID 4450
V-Mount Battery Mount Plate Kit	ID 4064	RA V1 V-Mount Battery Plate	ID 3676
NP-F Battery Adapter Mount Plate Kit for Mirrorless Cameras	ID 4696	D-Tap to NP-FZ100 Dummy Battery Power Cable	ID 4253
Power Banks Mount Plate Kit for Mirrorless Cameras	ID 4695	D-Tap to LP-E6NH Dummy Battery Power Cable	ID 4252
V-Mount Battery Mount Plate Kit for Cinema Cameras	ID 4323		



X-Touch Smart Triple-Proof V-Mount Battery

Smart Power for Every Watt

Touchscreen | Smart Battery Control | Tri-Proof | 100W Fast Charging



Status at Your Fingertips

2" High-Definition Touch Screen with Enhanced Brightness and a Frosted Anti-Glare Surface



Battery Status

100%

27.0°C80.6°F

Total100.0W

Time Left1H0m

C1

Voltage20.0V

Power60.0W

C2

Voltage20.0V

Power40.0W

Model:
X99

Hardware Version:
V1.00.00

Cycle:
0

Software Version:
V1.00.00


BMS:
V1.0.0

MAC:
FF:FF:FF:FF:FF:FF

✕

Redefined Experience


* Control via SmallGoGo App | SmallGoGo HD App




Battery Info



Port Control



Intelligent Tracking



Port Control

Impact-Ready All-Weather Battery



4.9ft (1.5m) Drop-Proof

Silicone Shock-Absorbing Corners and Edges



*Concrete and Marble Floor Tested


Resilient to Water and Dust

IP54-Rated and Equipped with Internal Waterproof Seals



8 high-density LG 18650 battery cells

Each with a 3400mAh Capacity



BMS Smart Chip

- Over-Discharge Protection
- Cell Protection
- Short Circuit Protection
- Overload Protection
- Low Temperature Protection
- High Temperature Protection
- Over-Voltage Protection
- Overcurrent protection

PowerADC Technology



100W USB-C PD3.0



Full Range of Interfaces

Multiple Expansion Interfaces

- ① 3/8"-16 Threaded Hole
- ② 1/4"-20 Threaded Hole



Versatile Charging Ports

- ③ BP x 1
- ④ D-Tap x 2
- ⑤ USB-C (100W) x 2
- ⑥ USB-A x 1
- ⑦ 12V-OUT (DC5525)
- ⑧ 8V-OUT (DC5521)