

# SmallRig



## Phone Support for DJI Series Stabilizers

Operating Instruction

SmallRig Phone Support for DJI Series Stabilizers 4301 is specially designed for DJI RS 4 Mini / RS 4 / RS 4 Pro / RS 3 / RS 3 Pro / RS 3 mini / RS 2 / RS C2 / RS / R SC and installed onto the side NATO rail through M4 screws. When not in use, release the cold shoe mount to detach your phone. The phone holder can be mounted on the top of a camera cage with a 1/4"-20 screw and supports phones with a width of 57-88mm / 2.5-3.5in. Quick switching between landscape and portrait modes and easy angle fixing with more than 90° rotating. There is a 1/4"-20 threaded hole at the bottom for RS 3 mini/ RS 4 mini or tripod, and a cold shoe mount on top for microphone or light.

## Safety Guidelines

### 1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### 2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### 3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### 4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

### 5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## In the Box

Phone Holder	× 1	Guarantee Card	× 1
Cold Shoe Mount	× 1	1/4"-20 Screw	× 1
M4 Screw	× 2	Allen Wrench	× 2

**Specially designed for**  
**DJI RS 4 / RS 4 Pro / RS 3 / RS 3 Pro /**  
**RS 3 Mini / RS 2 / RS C2 / R S / R SC Stabilizers**



for RS 4



for RS 4 Pro



for RS 3 Pro



for RS 3



for RS 3 Mini



for RS 2



for RSC 2



for RS



for RSC

# Easy Installation



## Step 1

Installed onto the side  
NATO rail through  
two M4 screws



## Step 2

Slide the phone clamp  
into the cold shoe mount



## Step 3

Lock the phone clamp





The mini cold shoe is specially designed for  
DJI RS 3 / RS 3 Pro / RS 3 Mini / RS 2 / RS C2  
R S / R SC Stabilizers



for RS 3 Pro



for RS 3



for RS 3 Mini



for RS 2



for RS C2



for RS



for RS SC

# The Adjustable Length Allows a Wide Range of Possibilities

Supports phones with a width of 57-88mm / 2.5-3.5in



# Reach Full Potential

Adjust the angle via three rotary joints to suit your needs



1



180° Rotation

2



360° Rotation

3



360° Rotation

# Transform the Interface

Mount onto RS 3 Mini or tripod using a 1/4"-20 threaded hole at the base


Cold shoe mount on top for a microphone or light\*

Well-spaced threaded holes to facilitate the installation of power bank holders



\* When installing the cold shoe mount, ensure that the arrow on the mount points upwards

# Product List and Specifications



## Product Dimensions

110 × 31.3 × 41.3mm  
4.3 × 1.2 × 1.6in

## Package Weight

141 ± 5.0g / 5.0 ± 0.2oz

## Package Dimensions

155 × 81.5 × 42mm  
6.1 × 3.2 × 1.7in

## Material(s)

Aluminum Alloy, Stainless Steel, Silicone

## Product Weight

101 ± 5.0g  
3.6 ± 0.2oz

Manufacturer Email: [support@smallrig.com](mailto:support@smallrig.com)

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

**RoHS**



*Séparez les éléments avant de trier*



Made in China