# SmallRig



# **Universal Tripod Dolly**

Operating Instruction

SmallRig Camera Cage for Sony Alpha 7S III A7S III A7S3 2999 maintains access to the camera's controls and features a variety of mounting options. In addition to one cold shoe mount and multiple 1/4"-20 and 3/8"-16 threaded holes, this formfitting aluminum cage features several ARRI-style mounts for preventing accessories from twisting when mounted on the cage. The cage also incorporates an anti-twist design with an M2.5 screw fixed to the strap hole in addition to the 1/4"-20 camera mounting screw so your camera can't move around in the cage. You can attach SmallRig Top Handle 1984 or SmallRig Wooden Side Handle 2093 for hand-held shooting, and SmallRig Cable Clamp 3000 to protect the HDMI cable and port. ABBI-style mounts on the top and side are provided to attach SmallRig ARRI Locating Handle 2165 or SmallRig Ball Head Magic Arm 2115. It also comes with a built-in NATO rail on the left of the cage. Mounting holes on the front allow mounting a separately available lens adapter 2219 or 1764. Strap holes are included to add a separately available wrist strap PAC2456. PSW2398 or neck strap PSC2428 to your rig. Besides, a screwdriver is built into the bottom of the cage for tightening the camera screws.

# Safety Guidelines

#### 1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

#### 2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

#### 3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

#### 4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

#### 5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Guarantee Card × 1

### **Product Details**

**Product Detail Display** 



### **Mounting Points**



Featuring multiple 1/4"-20, 3/8"-16 holes that allow to mount accessories such as a tripod, etc.

#### Anti-Twisting Design

Locks Camera via the bottom 1/4\*-20 screw and a M2.5 screw



## Specifications



Compatibility: Sony A7S III

#### Parameters:

Product Dimensions: 145.5 x 106.5 x 64mm Package Dimensions: 165 x 155 x 85mm Net Weight: 220g ± 5g Package Weight: 290g ± 5g Material(s): Aluminum Alloy

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

