


# SmallRig | TRANSFORMERS



## 重型液压云台三脚架 AD-01 (大黄蜂系列)

操作指引


# 产品介绍






## 三脚架高度调节


打开三只脚之间的脚管锁紧扣,然后打开三只脚,调节三脚架高度。






## 云台与脚架组合

1. 将球碗座顺时针旋入云台3/8"-16螺丝底孔,再用内六角扳手将3颗紧定螺丝锁紧。
2. 将云台装入脚架球碗内,然后用手把顺时针锁紧使云台固定在脚架上。




## 脚架松紧度调节




## 扳扣锁紧力度调节

使用内六角扳手,顺时针拧紧螺丝,可加强扳扣的锁紧力度,逆时针拧松螺丝,可减弱扳扣锁紧力度。



## 快装板


快装板可实现水平移动，从0位置到平衡最优位置,保证了平衡位置的广度。




3/8"-16 螺丝

## 快装板安装及使用

拧松快装板锁紧旋钮，推开快装板保险开关（有器材在快装板上时，需要一直推着保险开关，才可取下快装板），即可取出快装板。快装板安装如图 ② 所示，快装板单边卡进云台面板槽然后把快装板放入面板里，锁紧快装板旋钮。






## 云台俯仰调整及水平调整



# DJI RS 2 稳定器板槽兼容

DJI RS2 模式、曼富图模式双板槽模式切换。





## 注意事项



使用此产品时，时常确认产品各锁紧装置是处于锁紧的安全状态，避免意外损坏相机。



请勿在零下20度或高于零上70度的温度下使用本产品，不推荐在海水中使用本产品。



请勿长时间将产品放置在太阳下，避免长时间将产品放置在高温下，例如靠近汽车玻璃数小时。



在公共场所使用本产品时，请勿离人，避免小孩靠近，造成意外伤害。在危险的地方使用时，请谨慎操作。



在潮湿、泥沙、风尘等环境中使用过后，一定要用干布将锁紧螺牙和可能藏有泥沙的部分清理干净，可使用无水酒精、消毒酒精、清洁剂等擦洗。



为了人身安全，在使用本产品时，请勿靠近高电压区域，或与强效化学接触。

# 保修条款

---

请保留您的原始购买单据及保修卡,同时包含您的购买日期、产品序列号等,这些资料质保服务时均需要提供。

## 售后质保条款

SmallRig产品自下单付款之日起享有质保服务。

- 电子产品(除V口电池): 1年质保。
- V口电池: 2年质保。
- 非电子产品: 2年质保。

注:若销售地国家或地区的适用法律法规有冲突的,以销售地国家或地区有关质保期的法律法规为准。

## 质保无效说明

1. 当用户违反操作指引或用户手册中“重要提示”任何一条导致的质量失效,不在质保范围内。
2. 产品序列号标识已经被撕毁或无法辨识,不在质保范围。
3. 产品使用不当等非产品本身质量问题,而造成的产品损坏,不在质保范围。
4. 非官方指导的私自改装、拆解、维修等行为而造成的损坏,不在质保范围。
5. 因火灾、水灾、雷击等不可抗力造成的产品损坏,不在质保范围。

## 维修方式

- 属于质保范围的,SmallRig 根据产品具体的故障对产品进行维修或更换;维修后的产品 / 部件享受原有保修期的剩余时长。

## 联系方式

- 建议您优先前往相应购买平台联系在线客服,提出产品维修申请。
- 您也可以通过 SmallRig 服务邮箱申请维修服务。

服务邮箱:support@smallrig.com

# 保修卡

ID 编号	
产品名称	
购买日期	
用户姓名	
用户电话	
用户地址	
购买单据	

Licensed By:



©2025 Hasbro. ©2025 DreamWorks LLC and  
Paramount Pictures Corporation.

制造商: 深圳市乐其创新股份有限公司

地址: 中国广东省深圳市龙华区观澜街道大富社区平安路58号共联富基创新园  
4栋101、701、901

委托商: 深圳市乐长科技有限公司

地址: 中国广东省深圳市龙华区观澜街道大富社区平安路58号共联富基创新园  
4栋201

执行标准: GB 4943.1-2022, GB/T 26572-2011

LQ-B760-18



FR  
**LE TRI  
+ FACILE**



Boîte 6



Papier 5



Sachet 3



BAC  
DE TRI

*Séparez les éléments avant de trier*

中国制造

合格证  
已检验



CE RoHS



# SmallRig | TRANSFORMERS



## Heavy-Duty Fluid Head Tripod AD-01 (BumbleBee Edition)

Operating Instruction


# SmallRig | TRANSFORMERS



## Heavy-Duty Fluid Head Tripod AD-01 (BumbleBee Edition)


Operating Instruction


# Product Introduction



# Adjust the Height

Open the flip locking knob, to adjust the height.









# Mount the Tripod Head

1. Secure the head to the bowl by tightening 3/8"-16 screw clockwise. Then, use the Allen wrench to tight three set screws.
2. Mount the head into the tripod base and lock it by rotating clockwise.




## Adjust the Tightness





## Adjust the Flip Lock

Tighten the flip lock by rotating the Allen wrench clockwise. Loosen the flip lock by rotating it counterclockwise.



# Quick Release Plate Introduction


Quick Release plate facilitates swift transition between different modes. It features hidden 1/4"-20 and 3/8"-16 screw, stored on the base of the head.



3/8"-16 Screw

## Quick Release Plate Installation and Use


Loosen the locking knob of the quick release plate and push the quick release plate press the switch (when there is equipment on the quick release plate, switch until unlocked release plate), then remove the quick release plate. The installation of the quick release plate is shown below. Insert the one side of the quick release plate into the panel slot, then press the other side into the head. Lock the quick release plate knob.



## Tilt & Pan Adjustment




A side mounted knob adjusts the tension of the tilt movements. Rotate to adjust with a camera mounted to find the most appropriate setting.

A pan bar lever provides both drag and locking control of pan movements.



# Compatibility

The dual-mode head is compatible with quick release plates for DJI RS 2 stabilizer, and Manfrotto quick release plates.



# User Notice:



Always ensure the locks and devices are secured to avoid accidental damage of the camera and other equipment.



Do not use the product at temperature less than  $-20^{\circ}\text{C}$  /  $-4^{\circ}\text{F}$  or more than  $70^{\circ}\text{C}$  /  $158^{\circ}\text{F}$ . It is not recommended to use in seawater.



Avoid leaving the product in high temperature, (e.g in the sun) for long time or in a car near the window for hours.



Please keep the product away from the reach of children while working, preventing any accidental hurt. Be careful to use product in dangerous places.



After using in the wet, dusty, sandy, windy environment, it is recommended to clean and dry the tripod with soft cloth. The dirt, dust, and sand in all leg locks, threads, should be removed after using. Clean with mild detergent or alcohol.



For your own safety, don't leave the product near any electrical power sources and chemical substances.

# Service & Warranty

---

Please keep your original receipt and guarantee card. Be sure the dealer has written on it the date of purchase and SN of the product. These are required for warranty service.

## After-sale Warranty Terms

SmallRig products are entitled to warranty services as of the date of payment.

- Electronic products (except V mount battery): 1-year warranty.
- V mount battery: 2-year warranty.
- Non-electronic products: 2-year warranty.

Note: In case of any conflict between our warranty period policy and applicable laws and regulations of the country / region where the products are sold, the latter shall prevail.

## This Warranty Does Not Cover

1. If users fail to adhere to the "Operating Instruction" or any "Warnings" stated in the user manual, resulting in a quality failure, it falls outside the scope of warranty coverage.
2. The product identification or SN label is removed or defaced in any way.
3. Product damage caused by problems not attributable to the quality of the products such as improper use of the products.
4. Product damage caused by unauthorized modification, disassembly, repair and other acts.
5. Product damage caused by fires, floods, lightning and other force majeure factors.

## Warranty Mode

- For the products within the scope of warranty, SmallRig will repair or replace them on the basis of specific failures; the repaired / replaced products / parts are entitled to the remaining part of the original warranty period.

## Contact Information

- You're advised to contact the online customer service personnel of corresponding shopping platform and submit a repair service application.
  - You may also apply for repair service through SmallRig's service email.
- Service Email: [support@smallrig.com](mailto:support@smallrig.com)



# Guarantee Card

ID No.	
Item Name	
Purchase Date	
User Name	
Mobile	
Address	
Receipt	

Licensed By:



©2025 Hasbro. ©2025 DreamWorks LLC and  
Paramount Pictures Corporation.



GAVIMOSA CONSULTORIA, SOCIEDAD LIMITADA,  
CASTELLANA 9144, 28046 Madrid,  
compliance.gavimosa@outlook.com



Sea&Mew Accounting Ltd,  
Electric Avenue Vision 25, London, Enfield EN3 7GD,  
info@seamew.net

Manufacturer Email: support@smallrig.com  
Manufacturer: Shenzhen Leqi Innovation Co., Ltd.  
Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park,  
No. 58, Ping'an Road, Dafu Community, Guanlan Street,  
Longhua District, Shenzhen, Guangdong, China.  
Consignor: Shenzhen LC Co., Ltd.  
Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58,  
Ping'an Road, Dafu Community, Guanlan Street, Longhua District,  
Shenzhen, Guangdong, China.



ETICHETTATURA AMBIENTALE  
ENVIRONMENTAL LABELING



WE ARE HERE FOR YOU  
服务与支持



FR  
**LE TRI  
+ FACILE**



Boîte 6



Papier 5



Sachet 3



BAC DE TRI

合格证  
已检验

Made in China

Séparez les éléments avant de trier

CE RoHS

