

SmallRig



**Adjustable Monitor Support Compatible
with ARRI 3/8"-16 Screws**

Operating Instruction

SmallRig Swivel and Tilt Adjustable Monitor Mount with ARRI-Style Screw Mount 2903 is designed to hold your monitor for easy monitoring. It comes with a bottom ARRI locating screw for accessories with ARRI 3/8" -16 locating holes and a top 1/4"-20 screw for monitor, microphone, light, etc. The mount can tilt 180° and swivel 360°. Its tilt axis is quickly tightened via a knob to suit different weight and features tested durability, with tilt load capacity decreased by no more than 20% after 10,000 tilts, while its pan axis is 360° adjustable via an Allen wrench. Bouncy locating pins on the top help secure Ninja V/ V+; and 1/4"-20 threaded holes at the bottom allow attaching Magic Arm 2070, etc. The thumbscrews have holes for Allen wrench to facilitate assembly and disassembly.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Monitor Mount	× 1	Guarantee Card	× 1
Allen Wrench	× 2		

Main Functions

1/4"-20 Screw

Rubber Cushion

Thumbscrew for Tightening

3/8"-16 Thread Holes for ARRI

Bouncy Locating Pin

Knob

1/4"-20 Thread Holes



Installation



Step 1

Fix the monitor mount to the camera cage via 3/8"-16

Step 2

Mount the monitor to the monitor mount via 1/4"-20 screw



Step 3

Re-tightened the monitor by using the hex spanner

Step 4

Adjust the angle of tilt via a knob



Compatible with 5" and 7" Monitor



For SmallHD Focus Series

For SmallHD Focus OLED Series

For SmallHD UltraBright Series

For SmallHD 500 Series, 700 Series

For Atomos Ninja Series

For Atomos Shogun Flame

For Blackmagic Video Assist 5"

For Blackmagic Video Assist 4K 7"

360° Rotate , 180° Tilt



Step 1

Loosen the Screw



Step 2

It can rotate 360 degrees



Step 3

Loosen the Knob



Step 4

It can tilt 180 degrees

In the Box

Monitor Mount × 1

Allen Wrench × 2



Specifications

Brand

SmallRig

Product Dimensions

39.0 × 52.6 × 38.0 mm

Material(s)

Aluminum Alloy,
Stainless Steel

ID

2903B

Package Dimensions

78.0 × 67.0 × 42.0 mm

Net Weight

92 ± 5 g

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS



Séparez les éléments avant de trier



Made in China