SmallRig



Monitor Mounting Support with NATO Clamp

for DJI RS 2 / RSC 2 / RS 3 / RS 3 Pro / RS 3 Mini / RS 4 / RS 4 Pro / RS 4 Min

Operating Instruction

/ RS 3 Pro /RS 3 Mini / RS 4 / RS 4 Pro / RS 4 Mini 3026B is designed for DJI RS 2 / BSC 2 / BS 3 / BS 3 Pro / BS 3 Mini / BS 4 / BS 4 Pro / BS 4 Mini gimbals to mount extra accessories, such as monitor, LED video light, sound receiver, image transmitter, action camera, etc. It guickly secures either side of a gimbal via the NATO clamp, which comes with an anti-drop design for added safety, with a thumb knob tilting the monitor up to 170°. There are multiple accessory mounting points, including two 1/4"-20 holes on the top for Magic Arm 3238 for action camera or image transmitter, and a cold shoe mount on the top and the bottom for the sound receiver, microphone, LED video light, etc. Another highlight is the anti-twist pin that helps further stabilize the monitor. Overall, 3026B, which supports 5" and 7" monitors, is compact and matches DJI RS series gimbals.

SmallRig Monitor Mounting Support with NATO Clamp for DJI RS 2 / RSC 2 / RS 3

Safety Guidelines

1 Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

perfectly in terms of design style and accessory attachment.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity Do not modify the product (e.g., drilling, cutting)—this compromises structural

components, and contact support.

integrity and increases drop risks. 5 Malfunctions Stop use immediately if you notice deformation, unusual noises, or loose

In the Box x 1

× 1

Monitor Mount

Allen Wrench

Guarantee Card

× 1

Wide Compatibility

For DJI RS 2

For DJI RSC 2

For DJI RS 3

For DJI RS 3 Pro

For DJI RS 3 mini

For DJI RS 4


For DJI RS 4 Pro

For DJI RS 4 Mini



Angle Adjustable

The camera monitor mount can be tilt-adjustable and can be stopped at any angle via a thumbscrew.



Note: the maximum tilt angle is 170°

Product Detail Display

Plentiful mounting options for attaching a monitor, action camera and sound receiver, etc



Quick-release and Safe Installation

Feature NATO clamp for Quick-release and an anti-drop design to protect your device from falling



Designed to support 5" and 7" camera monitor

It designed to support 5" and 7" camera monitors and build in locating pins on the top to further secure your monitor



Package List

Monitor Mount × 1 Allen Wrench × 1



Specifications

ID 3026B

Product Weight 125±5g / 0.28±0.01 lb Product Dimensions 152.6 × 54.8 × 38.0mm

Package Weight 167.3 ± 5q Package Dimensions 186.0 × 56.5 × 57.0mm Material(s)

Aluminum Alloy, Stainless Steel, Brass, Silicone

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Legi Innovation Co. Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuii Innovation Park, No. 58, Ping'an Road. Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor Shenzhen LC Co. Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

























Séparez les éléments avant de trier

Made in China