

SmallRig



Universal Rotatable NATO Side Handle

Operating Instruction

SmallRig Universal Rotatable NATO Side Handle 4359 is designed to enhance stability for handheld dynamic filming, while providing basic accessory mounts. Compatible with standard NATO rail. Bi-directional sliding offers freedom in installation orientation. A single press enables the handle to smoothly rotate 360° in both directions, facilitating comfortable camera maneuvering at any angle. The ergonomic design of the handle grip incorporates eco-friendly silicone with a textured surface for enhanced grip and comfort. Crafted from aerospace-grade aluminum alloy, the handle supports up to 15kg (33.1lbs), ensuring durability and sturdiness. The handle features built-in 1/4"-20 threaded holes, ARRI 3/8"-16 Locating Hole, Strap Hole, Cold Shoe, allowing for expansion with accessories such as monitor mounts (ID 2905), magic arms (ID 3875), microphones (ID3487), LED video light(3286), and more to cater to various shooting scenarios. In addition, the integrated magnetic Allen wrench facilitates the assembling and disassembling of accessories.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Side Handle × 1

Guarantee Card × 1

Product Details



Key Features

1. Effortless 360° bi-directional rotation for seamless operation and increased flexibility in angles;
2. Ergonomically designed for both left and right-hand use, providing a comfortable and effortless grip;
3. Textured eco-friendly silicone coating ensures a non-slip, anti-freezing grip, offering comfort and effortless handling;
4. Versatile built-in interfaces including 1/4"-20 threaded holes, ARRI 3/8"-16 Locating Hole, Strap Hole, Cold Shoe to meet diverse expansion needs in different scenarios;
5. Aerospace-grade aluminum alloy, the handle supports up to 15kg (33.1lbs)



Compatibility :

Cage, plate, etc. with standard NATO rail



Specifications



Product Dimensions: 111.7 x 77.4 x 63.9mm / 4.4 x 3.1 x 2.5in

Package Dimensions: 162.0 x 122.5 x 69.0mm / 6.4 x 4.8 x 2.7in

Product Weight: 250.0 \pm 5.0g / 8.8 \pm 0.2oz

Package Weight: 326.5 \pm 5.0g / 11.5 \pm 0.2oz

Material(s): Aluminum Alloy, Stainless Steel

Manufacturer Email: support@smallrig.com
Manufacturer: Shenzhen Legi Innovation Co., Ltd.
Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.
Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS **CE** 



Séparez les éléments avant de trier



Made in China