

SmallRig



Universal LWS Bottom Mount Plate with Dual 15mm Rod Clamp

Operating Instruction

Lightweight and compact, SmallRig Universal LWS Baseplate with Dual 15mm Rod Clamp 3357 fits mainstream DSLR and mirrorless camera cages on the market. It works with dual 15mm rods to attach such as accessories lens support, follow focus, and matte box during handheld shooting and tripod shooting. It can ensure 85mm optical height when used with BMPCC 6K Pro Cage 3270. Its specially-designed bottom enables you to replace Samsung T5 SSD without removing the baseplate. Large built-in rubber pads prevent scratching and twisting. Multiple threaded holes at the bottom allow attachment of various sizes of quick release plates for tripod shooting.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.


In the Box

Baseplate	× 1	3/8"-16 Screw	× 1
1/4"-20 Screw	× 2	Hex Spanner	× 1
Guarantee Card	× 1		

Product Details



Compatible with most cameras



Suitable for all kinds of quick release plates



SmallRig for Arca-Type Plate 2389



SmallRig for Manfrotto Plate 1280



Other Plates for Arca or for Manfrotto

Note: Package includes only one base plate.

Ensure 85mm Optical Height

The specially designed bottom allows to replace the SSD without removing the bottom plate.



Note: Only for cage 3270

Specifications



Compatibility: Universal

Suits BMPCC 6K Pro Cage 3270 to ensure 85mm optical height

Parameters:

Product Dimensions: 73 x 108 x 25mm

Package Dimensions: 120 x 100 x 40mm

Net Weight: 150g \pm 5g

Package Weight: 185g \pm 5g

Material: Aluminum Alloy

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS **CE** 



Séparez les éléments avant de trier



Made in China