# **SmallRig**



HawkLock H21 Quick Release Monitor Support with NATO Clamp

Operating Instruction

SmallRig HawkLock H21 Quick Release Monitor Support with NATO Clamp 4487 consists of a guick release monitor mount with NATO clamp and a guick release NATO rail. Press the button to flare the pins and slide the NATO rail into the groove. Release the button to securely lock the NATO rail into the monitor mount, making the construction stable and the process time-saving. The 1/4"-20 screw on the top can be used to mount a monitor microphone, light, or, due to the built-in springloaded locating pin, Ninia V / Ninia V+ monitor to prevent deflection. The item supports 160° tilt adjustment, and the tightness of the tilt axis can be guickly adjusted via the knob to better adapt to equipment of different weights. The device can hold up to 2.5kg / 5.5lb, and the attenuation is below 20% after 10.000 times tilting, making it durable. 360° swivel adjustment with horizontal axis tightness adjustment with the included hey wrench

# Safety Guidelines

#### 1 Environment

direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion. 2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

Do not use the product underwater, in extreme temperatures (e.g., freezing or

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth, Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

#### 5 Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## In the Box

Ouick Release NATO Bail

Allen Wrench

x 1

Allen Wrench

× 1

Ouick Belease Monitor Mount with NATO Clamp

x 1

× 1

### Anti-Twist & Anti-scratch Design

 Bulid in bouncy locating pins on the top to futher secure camera monitor and silicone pad to prevent the monitor from scratching and twisting





# Bi-directional Mount & Anti-slip

- Supports two-way installation without needing to choose a direction first.
- Detachable magnetic pins for versatile positioning on either side.

NOTE: If the pins is installed on one side, the monitor mount can only be slide in from the other side



# Perfect fit & Stable Locking



### Roll Pin Positioning Technology

Roll pins fit snugly into the groove, ensuring firm locking

Exact Alignment and Precision Fit



## 160° Tilt and Full 360° Pan Adjustable for Versatile Multi-angle Shooting Positions








# **Exclusive QR-Slide Patented**

Press the button to flare the pins, slide the rail into the groove, and lock it by releasing the button.



# Compatibility

This quick release slider is compatible with standard specification NATO Rail and SmallRIg previous NATO Clamp.



Manufacturer Email: support@smallrig.com Manufacturer: Shenzhen Legi Innovation Co. Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuii Innovation Park, No. 58, Ping'an Road.

Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor Shenzhen LC Co. Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

























Made in China

Séparez les éléments avant de trier