

# SmallRig



## Tracking Mount Plate (for AirTag)

Operating Instruction

SmallRig Cage for AirTag MD4149 The Cage can attach the AirTag to the camera via two 1/4"-20 screws to allow quick tracking of the camera location. The sleek style can effectively hide the AirTag; the compartment cover is made of PC to avoid interfering with the tracking distance of the AirTag. Using sturdy M2.5 screws to prevent AirTag from being removed quickly, so as to maximize the possibility of finding your camera. The AirTag mounting compartment has an integrated through slot with 1/4"-20 threaded holes in 9-18mm pitch, allowing for attaching other accessories in multiple scenarios. Also, the AirTag mounting compartment has built-in EVA pad to protect the AirTag and prevent noise from moving the device.

## Safety Guidelines

### 1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### 2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### 3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### 4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

### 5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## In the Box

Cage	× 1	1/4"-20 Screw	× 2
Wrench	× 2	Guarantee Card	× 1

## Product Details


18mm (0.7in) groove with two 1/4"-20 threaded screws for greater compatibility



Torx Screw



18mm Hole Spacing



Built-in EVA Pad



# Installation Instruction

Provides the universal way to mount AirTag on the camera to track devices.



Step 1



Step 2



Step 3



Sleek style, hide the AirTag effectively

## 5 Built-in Cold Shoe Mounts

Can be used simultaneously with 5 accessories



Mount the AirTag compartment cover via the M2.5 screws



# The holes on the side for signal transmission



## Installation Guide


### Step 1

Use the Allen Wrench to fix the cage to the camera gear via two 1/4"-20 screws



### Step 2

Assemble the adapter for AirTag into the cage



### Step 3

Secure the PC compartment cover to the cage via two M2.5 torx screws



# Specifications



**Product Dimensions:** 40.0 x 36.0 x 16.0mm

**Package Dimensions:** 64.0 x 52.5 x 41.0mm

**Product Weight:** 23.0g  $\pm$  5.0g

**Package Weight:** 51.0g  $\pm$  5.0g

**Material(s):** Aluminum Alloy, PC

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,  
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.



*Séparez les éléments avant de trier*

Made in China