SmallRig



Multifunctional Arca-Type Quick Release Plate

Operating Instruction

SmallRig Multifunctional Quick Release Plate (Arca-Type) 3913 is a multifunctional quick release plate designed to solve the problem of unstable placement of the camera on desktop and ground, and the problem of difficult installation on fluid head, base and other accessories. It comes with four foldable standing legs that allow placing camera with a lens length of less than 15cm in most terrains, and avoid scratching the bottom of camera and lens. It also features a hex spanner for quickly tightening screws and a threaded slot for mounting screws to lock camera and cage at the same time, thus preventing twisting. Both camera connector and feet have anti-slip pads that secure camera to the plate and prevent extended feet from slipping. The bottom of this quick release plate supports 38mm Arca-Type base, head fluid and other accessories.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

For Arca-Type Compatible




Plate Type(For Arca-Type)



Baseplates



Tripod with Fluid Head










4 Foldable Standing Legs for Maximum Versatile



* Allow to place camera with a lens length of less than 15cm in most terrains

Multi-Specification Screws Compatible

Features a threaded slot for mounting screws to lock camera and cage



A large hole for installing different types of screws (Please first to install 1/4"-20 screw then 3/8"-16 screw for anti-off)

Step 1



Step 2



2 Built-in Thumbscrews & Allen Wrench









1/4"-20 Screw



In the Box

Multifunctional Quick Release Plate (For Arca-Type) × 1



Specification

ID 3913

Package Weight 162 ± 5g Product Dimensions 79.5 × 50.2 × 16.8mm

Package Dimensions 123.0 × 104.0 × 44.0mm Product Weight 119 ± 5g

Material(s)
Aluminum Alloy, Silicone,
Stainless Steel

Manufacturer Email: support@smallrig.com Manufacturer: Shenzhen Legi Innovation Co. Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuii Innovation Park, No. 58, Ping'an Road.

Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor Shenzhen LC Co. Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

























Made in China

Séparez les éléments avant de trier