

SmallRig



mini Side Handle Kit

Operating Instruction

SmallRig mini Side Handle Kit 4816 is designed to reduce arm's burden, facilitate camera movement and provide accessory mounting points. The kit includes: one handle and two handle adapters, one cold shoe. The handle is embedded anti-slip, anti-freeze silicone coverings, with comfortable grip experience. The handle features two 1/4"-20 threaded holes with an 18mm (0.7in) spacing, ensuring broad compatibility, it can also be adapted to the cage with built-in NATO rail. The cage without built-in NATO rail can be converted by purchasing NATO rails 1409 and 2172. It can be attached to both sides of a cage and adjusted up and down to find the best position. Three 1/4"-20 threaded holes on top support Magic Arm 2070B for monitor and Cold Shoe 2260 for microphone, LED light, etc.; strap holes on both sides allow attaching a wrist strap to increase stability. At the bottom there is a built-in magnetic spanner for easy assembly and disassembly.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Handle	× 1	Handle Adapter	× 2
Cold Shoe	× 1	1/4"-20 Screw	× 1
M2.5 Screw	× 2	Allen Wrench	× 1
Guarantee Card	× 1		

Product Details



Easy to Use

Ergonomic design and embedded anti-slip, anti-freeze silicone coverings, with comfortable grip experience.



Strong universality, equipped with two types of handle Adapter.



Can be attached to both sides of a cage and adjusted up and down to find the best position.





Compatibility

1. Two 1/4"-20 threaded holes with a spacing of 18mm (0.7in)
2. SmallRig cage with built-in NATO rail

Specifications

Product Dimensions: 109.0 x 80.5 x 42.0mm / 4.3 x 3.2 x 1.7in

Package Dimensions: 136.0 x 102.5 x 51.0mm / 5.4 x 4.0 x 2.0in

Product Weight: 180.0 ± 5.0g / 6.4 ± 0.2oz

Package Weight: 245.0 ± 5.0g / 8.6 ± 0.2oz

Material(s): PC+ABS, Aluminum Alloy, Stainless Steel, Silicone

Manufacturer Email: support@smallrig.com
Manufacturer: Shenzhen Leqi Innovation Co., Ltd.
Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.
Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS **CE** 



Séparez les éléments avant de trier



Made in China