SmallRig



Shoulder Rig Kit (Pro)

Operating Instruction

Shoulder Rig Kit (Pro) 4274B is designed to provide a comfortable and convenient solution to shoulder shooting. It consists of VCT Shoulder Pad, Extension Arm, and Handle. Among these parts, the ergonomic silicone shoulder pad provides a comfortable shooting experience. It features a two-layer quick-release plate on the top, a vertically adjustable 15mm rod clamp at the front for rebalancing the camera and attaching 15mm rods, as well as a VCT-14 quick-release baseplate at the bottom, which works with VCT-14 Quick Release Tripod Plate 2169 to switch between shoulder mode and tripod mode. The extension arm is retractable to meet different needs of length and for easy storage. The handle is ergonomically designed with a silicone surface, which can be adjusted to different angles through the ARRI rosette for a more comfortable orio.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

| VCT Shoulder Pad | × 1 | Handle | × 2 |
|--------------------|-----|----------------|-----|
| Extension Arm 1870 | × 2 | Guarantee Card | × 1 |

Product Details

- Ergonomic silicone shoulder pad for a comfortable shoulder shooting experience.
- Built-in VCT-14 quick-release baseplate for quick switch between shoulder mode and tripod mode.
- The top quick release plate adopts two-layer structure for quick front and rear center of gravity adjustment.
- 4. Adjustable extension arm meets different needs of length.
- Ergonomic handle surface with silicone material, support multi-angle adjustment, comfortable grip.

Compatibility

Universal

Specifications

Product Dimensions: 492.3 x 203.1 x 199.9mm Package Dimensions: 295.0 x 220.0 x 170.0mm

Product Weight: 1651.0±10.0g Package Weight: 2571.0±10.0g

Material(s): Aluminum Alloy, Stainless Steel, Silicone

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Legi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

制造商:深圳市乐其创新股份有限公司

地址:中国广东省深圳市龙华区观澜街道大富社区平安路58号共联富基创新园4栋101.701.901

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58. Ping'an Road. Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China. 委托商:深圳市乐长科技有限公司

地址·中国广东省深圳市龙华区观测街道大富社区平安路58号共联富基创新园4栋201

执行标准: GR/T 26572-2011

























Séparez les éléments avant de trier