

Shenzhen Leqi Network Technology Co., LTD.

19F, Cloud Create, Intersection of Chaguang Rd. and Chuangke Rd.,
Nanshan District, Shenzhen, China 518000

0755 - 28283350

www.smallrigreseller.com

SmallRig




 SmallRig

 SmallRig.Global

 SmallRig

 SmallRigGlobal

Small Rig · Big Dream



About SmallRig

Founded in 2013, SmallRig designs and builds complete accessory solutions for content creators with cameras, gimbals, and mobile phones. Our accessories are widely used in live broadcasts, Vlogs, professional video productions, and other fields and are supported by over two million creators worldwide. SmallRig pioneered the User Co-Design (UCD) and DreamRig Program to co-design products with global creators and make their big dream achievable.



RC220 Point-Source Video Lights



RC220D
ID: 3472 (US)
ID: 3618 (EU)



RC220B
ID: 3473 (US)
ID: 3621 (EU)



RA-D55
Parabolic
Softbox
(Φ55cm)
ID: 3585



RA-D85
Parabolic
Softbox
(Φ85cm)
ID: 3586



RA-L65
Lantern
Softbox
(Φ65cm)
ID: 3754



RA-L90
Lantern
Softbox
(Φ90cm)
ID: 3932




RA-R6090
Rectangular
Softbox
(60 × 90cm)
ID: 3930



RA-R30120
Strip
Softbox
(30 × 120cm)
ID: 3931



RA-S280
Light Stand
ID: 3736



RA-S280A
Light Stand
with Arm
ID: 3737

- (RC220D) the maximum illuminance of the bare light source is 10,100 lux at 1 meter (3.3 ft.) and increases to 98,700 lux with the hyper reflector
- (RC220B) the maximum illuminance of the bare light source is 8,670 lux 5,600k at 1 meter (3.3 ft.) and increases to 84,500 lux with the hyper reflector
- Ultra-high color rendering index
- Supports manual control and SmallGoGo App control
- Dual power supply system
- Low self-noise
- Overheating protection
- Standard Bowens mount
- High quality snowflake cloth portable storage bag



SmallGoGo



RC120 Point-Source Video Lights



RC120D
ID: 3470 (US)
ID: 3612 (EU)



RC120B
ID: 3471 (US)
ID: 3615 (EU)



RA-D55
Parabolic
Softbox
(Φ55cm)
ID: 3585



RA-D85
Parabolic
Softbox
(Φ85cm)
ID: 3586



RA-L65
Lantern
Softbox
(Φ65cm)
ID: 3754



RA-L90
Lantern
Softbox
(Φ90cm)
ID: 3932




RA-R6090
Rectangular
Softbox
(60 × 90cm)
ID: 3930



RA-R30120
Strip
Softbox
(30 × 120cm)
ID: 3931



RA-S280
Light Stand
ID: 3736



RA-S280A
Light Stand
with Arm
ID: 3737

- (RC120D) the maximum illuminance of the bare light source is 5,370 lux at 1 meter (3.3 ft.) and increases to 62,600 lux with the hyper reflector
- (RC120B) the maximum illuminance of the bare light source is 4,450 lux 5,600k at 1 meter (3.3 ft.) and increases to 52,800 lux with the hyper reflector
- Ultra-high color rendering index
- Supports manual control and SmallGoGo App control
- Dual power supply system
- Low self-noise
- Overheating protection
- Standard Bowens mount
- High quality snowflake cloth portable storage bag



SmallGoGo



RA-D85 / RA-D55 Parabolic Softboxes



RA-D55
Parabolic
Softbox
(Φ55cm)
ID: 3585



RA-D85
Parabolic
Softbox
(Φ85cm)
ID: 3586

- Adopts unique All-in-One design, the softbox can be set up in seconds with the help of the innovative quick-release speeding
- Retains the original color temperature and CRI, provides maximum lighting output, and prevents additional light leakage
- Features 16 umbrella lightweight and rugged ribs, made of stable durable steel, allows long-term using without causing deformation; The silicone hand guards provide comfortable handling while adjusting the ribs
- The RA-D85 Parabolic Softbox creates a larger area of illumination for large scene lighting, while the lightweight and easy-to-use
- RA-D55 Parabolic Softbox is perfect for small spaces, compatible with different shooting needs
- Standard Bowens mount is to achieve the quick assembly and disassembly between light and accessories


RA-L65 Lantern Softbox (ID: 3754)



RA-L65
Lantern
Softbox
(Φ65cm)
ID: 3754

- Installation in one step; the bottom hook is lengthened and widened to assist in positioning and precise installation
- 12-pole supporting umbrella rib is made of stainless steel in the field of military umbrellas. It is lighter and tougher than ordinary stainless steel umbrella ribs, which has high elasticity and high temperature resistance
- Standard black skirt, four pages of light-shielding and shading can be selected freely, which can flexibly respond to the needs of a variety of scenes
- The diameter of the softbox is 65cm, the depth is 56cm, and the weight is 1348g. It does not take up space, which is not only light but also easy to use

RM75 Magnetic Smart LED Light (ID: 3290)




- CRI ≥ 96
- HUE / SAT adjustable for 15 lighting effects
- 36000 colors and full RGB color control allow lighting in different scenes
- Color temperature range of 2500K-8500K makes warm and cold lighting at will
- 4000mAh large capacity battery with power indicator light has a maximum operating battery life of 16h and supports 18W PD fast charging in 2h
- Magnetic suction on 4 sides (bottom side + left & right side + backside) realize fast lighting and 1/4"-20 threaded holes at the bottom support accessories for a wide range of scenes



SmallGoGo App is a smart lighting control APP. It is possible to control multiple lights with one mobile device.

* Compatible with SmallRig RC120 / RC220 lights and RM75 RGB lights.



Handheld Kit for RED V-RAPTOR (ID: 3696)







Cage



NATO
Top Handle



15mm Single
Rod Clamp



Lightweight
Baseplate
with Dual 15mm
Rod Clamp



15mm Rods

- Dedicated handheld kit for RED V-RAPTOR, amp up your creative power
- Adopts a modular design, either the top plate or bottom plate works independently, providing a lightweight video solution
- Comes with a baseplate to build a 15mm lightweight system for mounting accessories like matte box and follow focus for professional video production
- The lens adapter support reduces the load when mounting a heavy lens onto the camera, and also protects the camera interfaces

Shoulder Kit for Sony FX6



Handgrip
Adapter
ID: 3403



Extension Arm
ID: 1870



15mm Rods
ID: 1049



15mm Rods
ID: 1050



Lens Support
ID: 2681



Shoulder Pad
ID: 2837



Heavy-Duty
Fluid Head
Tripod
ID: 3751



Top Plate
ID: 3186



LCD Screen
Adapter
ID: 1831



Wooden Grip
ID: 1891



V Mount
Battery Plate
ID: 2991



D-Tap
Power Cable
ID: 2932



Multifunction
Modular Matte
Box (Φ114mm)
Basic Kit
ID: 3641



VB155 mini
V Mount
Battery
ID: 3581

- Professional shoulder kit for run & gun shooting
- The VCT-14 tripod plate enables creators to quickly attach and remove the shoulder kit from a tripod adapter by using the lever release
- The Extension Arm with ARRI Rosette provides a telescopic adjustment function and is compatible with the original trigger grip
- The highly elastic foam shoulder pad fits shoulder arc for a more comfortable shooting experience
- The included 15mm rod clamp, 15mm rods and the V mount battery plate provide a power supply solution for long-time shooting
- The 15mm LWS Universal Lens Support reduces the weight stress efficiently from the camera's lens mount



Handheld Kit for Nikon Z 9



Cage
ID: 3195



Monitor Mount
ID: 2903



mini Matte box
ID: 3196



mini Follow
Focus
ID: 3010



Rotation Handle
ID: 3260



Top Handle
ID: 2165



15mm Rod
Clamp
ID: 942



V Mount
Battery Plate
ID: 2991



Lens Adapter
ID: 2152



15mm Rods
ID: 870

- Features 1/4"-20 threaded holes, ARRI 3/8"-16 locating holes, and cold shoe mounts
- Locks camera with 1/4"-20 screw & locating pin at the bottom and shoulder strap hole to prevent twists
- Built-in Arca-Swiss quick release plate at the bottom allows the quick switch to tripod shooting
- All-around protective rubber pads to prevent scratches

Handheld Kit for BMPCC 6K Pro (Advanced Version) (ID: 3582)



* The product in this image is 3582 plus a 2903



Cage Kit
ID: 3582



Cage
ID: 3517



Half Cage
ID: 3665



Cage with
Battery Grip
ID: 3382



Rotation
Handle
ID: 3260



T5 / T7
SSD Holder
ID: 3272

- Works with the removable Pogo Pin connector, it can be directly connected to the Blackmagic Pocket Camera Battery Grip for power supply
- Included HDMI & USB-C cable clamp
- Included dual rod system to attach matte box, follow focus, and other lens accessories
- Included sunhood
- Comes with multiple 1/4"-20 threaded holes
- Comes with screen protector of IK03 standard

“Black Mamba” Cage Kit for Canon EOS R5 C



							
Cage for Canon EOS R5 C ID: 3890	“Black Mamba” Top Handle ID: 3786	mini Magic Arm with Quick Release Ball Head ID: 3515	Holder for Portable Power Banks ID: 2336	mini Quick Release Monitor Mount with Cold Shoe ID: 3514	Rotating NATO Handle ID: 3260	Sunhood for Canon EOS R3/ EOS R5&R5 C ID: 3673	DC5521 to LP-E6 Dummy Battery Charging Cable ID: 2919

- Handheld kit for Canon EOS R5 C for comfortable and stable shooting experience
- With the unique patented designed, maintains full access to camera top buttons
- Thumb-screw HDMI & USB-C cable clamp ensures smooth data transmission
- Accessory mounts such as 1/4"-20 threaded holes, ARRI 3/8"-16 locating holes, cold shoe mounts, NATO rail
- Detachable extended baseplate provides various shooting solutions

Shoulder Kit for Panasonic LUMIX GH6



Camera Cage
Kit for GH6
ID: 3441



Basic Shoulder
Pad with Rod
Clamp
ID: 2894



Shoulder Rig
Handle Kit
ID: 2002F



Universal 15mm
Rail Support
System Baseplate
ID: 2092B



15mm Rods
ID: 1053



V Mount Battery
Adapter Plate
ID: 3203



Articulating Arm
(9.5 inches)
ID: 2066B

- Suitable for a multitude of scenarios to meet different shooting needs
- SmallRig's patented design 100% access to the top buttons of the camera
- Fast switching for any shooting situation
- Portable handheld cage kit, suitable for low-angle shot
- Streamlined shape, snug, lightweight, easy to operate
- Multiple accessory mounting points
- Integrate with Arca-Swiss quick release plate for quick shooting scenes switching
- Dedicated HDMI & USB-C cable clamp to ensure stable filming

Accessory Ecosystem for Sony Alpha 7 IV / Alpha 7S III / Alpha 7R IV



Cage
ID: 3667



L-Bracket
ID: 3660



Baseplate
ID: 3666



Top Handle
ID: 2165



Side Handle
ID: 2425



Screen Protector
ID: 3750

Full Cage for Sony Alpha 7 IV / Alpha 7S III / Alpha 1 / Alpha 7R IV (ID: 3667)

- One-piece full cage protects the camera
- Spindle spanner at the battery door fits camera curve and enhances grip experience
- Multiple mounting points: 1/4"-20 threaded holes, ARRI 3/8" -16 locating holes, cold shoe mounts, and NATO rails
- Two-point locking (with 2 sliders, suitable for different models)
- Arca-Swiss quick release plate on the bottom

L-Bracket for Sony Alpha 7 IV / Alpha 7S III / Alpha 1 (ID: 3660)

- Arca-Swiss compatible side plate and baseplate
- Spindle spanner at the battery door fits camera curve and enhances grip experience
- Embedded select genuine leather in the baseplate integrates into the camera body
- Extendable side plate leaves room for cables

Baseplate for Sony Alpha 7 IV (ID: 3666)

- Improves grip experience and prevents scratches
- Arca-Swiss quick release plate on the bottom

Handheld Kit for Sony FX3



Cage
ID: 3277



ARRI Locating
Top Handle
ID: 2165



NATO Side
Handle
ID: 2187



Power Bank
Holder
ID: 2336



Monitor Mount
ID: 2903

- The cage seamlessly fits the camera to enhance the protection and provides multiple accessory mounting solutions for the monitors, microphones, and LED lights
- The cage features a built-in Arca-Swiss quick release plate to realize the quick switch from tripod shooting to gimbal shooting
- The monitor mount enables creators to swivel 360° sideways and tilt 170° allowing to hold the monitor onto any position

Handheld Kit for OM SYSTEM OM-1



Camera Cage
ID: 3948



ARRI Locating
Top Handle (Lite)
ID: 3765

- The cage features a built-in Arca-Swiss plate on the bottom, allowing quick transitions among handheld, tripod, and stabilizer shootings
- Equipped with multiple 1/4"-20 threaded holes, ARRI 3/8"-16 locating holes, cold shoe mounts, NATO rails, etc., providing compatibility with SmallRig's complete product ecosystem
- The top handle enables easy carrying and allows creators to capture cinematic low-angle shots

Accessory Ecosystem for FUJIFILM X-H2S



- Joint development with FUJIFILM, accurate modeling, cleverly avoiding the function buttons and interfaces
- Built-in multi-specification expansion interface, compatible with SmallRig complete product system
- Equipped with Arca-Swiss quick release plate at the bottom, to release fast switching between different shooting scenes such as tripod, handheld, tripod, stabilizer etc.
- Aviation aluminum all-inclusive protection, multiple locking without deflection
- Vertical-shooting L-bracket with dual Arca-Swiss quick release plates, realizing fast switching between horizontal and vertical shootings

Accessory Ecosystem for Nikon Z 30



Cage for
Nikon Z 30
ID: 3858



Windshield with
Cold Shoe Adapter
ID: 3859



Baseplate for
Nikon Z 30
ID: 3857



L-Bracket for
Nikon Z 30
ID: 3860

Cage for Nikon Z 30 (ID: 3858)

- Provides full access to control the flip screen, battery door and all buttons
- Adopts form-fitting design for all-around protection
- Features multiple built-in mounting points for multi-scene shootings
- The built-in Arca-Swiss quick release plate on the bottom of the cage enables quick switching between handheld, DJI RS stabilizers, and Arca-compatible tripod shootings

Windshield with Cold Shoe Adapter for Nikon Z 30 (ID: 3859)

- The furry windshields, designed with selected synthetic fabric, reduce wind noise for superior sound quality when shooting outdoors
- The built-in cushion on the bottom protects the camera's hot shoe mount, and ensures secure installation

Baseplate for Nikon Z 30 (ID: 3857)

- Lightweight, compact, multifunctional design

L-Bracket for Nikon Z 30 (ID: 3860)

- Dual Arca-Swiss quick release plates instantly switch from horizontal to vertical shooting
- Comes with a hinge arm facilitates the replacement of the battery and memory card

TEAM RS Wireless Control Operating System

TEAM RS



Wireless Control Sling Handgrip ID: 3919

Wireless Controller ID: 3920

Wireless Control Handgrip ID: 3949

Sling Handgrip ID: 3950

Wireless Control Handheld Ring ID: 3953

Wireless Control Dual Handgrip ID: 3954

- Modular design and bi-directional magnetic attachment for total flexibility
- Super stable signal transmission and quick reaction ensure high-performance wireless control
- Engineered with multi-specification mounting holes for brilliant expandability
- The controller reproduces the multi-function controls of DJI RS 2 / DJI RS 3 Pro
- Provides the sling handgrip, dual handgrip, and handheld ring for multi-scene solutions

Star-Trail & Revo-Arcane Multifunctional Modular Matte Box Systems



Multifunctional
Modular Matte
Box (Φ95mm)
Basic Kit
ID: 3556



Multifunctional
Modular Matte
Box (Φ95mm)
VND Kit
ID: 3645



Multifunctional
Modular Matte
Box (Φ114mm)
Basic Kit
ID: 3641



Side Flag Kit
(95mm)
ID: 3647



Filter Frame
(4 x 4")
ID: 3648



Filter Frame Kit
(4 x 5.65")
ID: 3649



VND Filter Kit
ID: 3651



LWS Support
ID: 3652



Clamp-on Ring kit
(Φ80 / 85-Φ95mm)
ID: 3654



95-114mm
Threaded
Adapter Ring
ID: 2661



Clamp-on Ring Kit
for Matte Box 2660
ID: 3408



Silicone Donut
with 114mm
Rear Opening
ID: 3409

- Feature with flexible modular design, quickly adapts to changing lighting situation
- Quick locking / unlocking + Magnetic assisted alignment, offers quick assembly and release
- Compatible with VND filter kit, level 1-8 could be smoothly adjusted
- With standard M0.8 gear module, the CPL polarizing frame can be used individually

mini Matte Box Pro (ID: 3680)



mini Matte Box Pro
ID: 3680



Side Flag
ID: 3597



4 × 5.65"
ND0.6 Filter
ID: 3588



4 × 5.65"
ND1.2 Filter
ID: 3589



Φ77mm
MRC CPL Filter
ID: 3587

- Compatible with CPL, ND filter, etc., easy assembly and disassembly
- Supports multiple 4 × 5.65" and 4 × 4" filters
- Fits various lenses
(Φ52/55/58/62/67/72/77/82/86mm)
- Features 1/4"-20 threaded holes for additional accessories on the top and anti-twist design on the bottom

mini V Mount Battery System



- Intelligent BMS chip for high-power fast charging
- 3500mAh high-capacity per lithium battery
- Multiple interfaces for wide compatibility
- OLED digital screen to accurately check the battery status



VB50 mini
V Mount Battery
ID: 3579



VB99 mini
V Mount Battery
ID: 3580



VB155 mini
V Mount Battery
ID: 3581

Drop-in HawkLock mini Series



mini NATO Quick Release
Monitor Mount



ID: 3601

mini Cold Shoe Quick
Release Monitor Mount



ID: 3514

The cold shoe mount and NATO rail at the bottom provide the quick release on both ends

mini Quick Release
Magic Arm



ID: 3515

mini Quick Release Ball
Head



ID: 3600

The modular ball head works with older magic arms

Drop-in HawkLock Clamp and Plate

- Quickly locked and unlocked through a click without jamming
- Highly compatible with tripods, cages, ball heads, etc. via 1/4"-20 threaded holes



ID: 3513

Max Load Reference

- ID: 3513 weight 37g, max load 5kg
- ID: 3514 weight 100g, max load 1.5kg
- ID: 3601 weight 120g, max load 1.5kg
- ID: 3515 weight 185g, max load 5kg

W60 Wireless Microphone



- Dual-channel, low-latency wireless audio transmission, signal range up to 100m (no obstacles)
- Long battery life up to 8h on a single charge
- Professional and high-performance omnidirectional condenser microphone for high-definition and high-quality recording
- Switch between mono and stereo; stereo recording and sound reproduction enhance post-editability
- Low cut function: eliminates low-frequency noise below 200Hz to make purer audio output
- Gain adjustment: input and output volume of TX-A and TX-B are partitioned and independently adjustable

Wave W1-C Wireless Lavalier Microphone



- Uses 2.4G digital wireless transmission, minimal audio latency <10ms, achieving fast transmission and synchronization
- Wireless transmission in wide range, up to 100 meters / 328 ft away (line-of-sight)
- Built-in high-efficiency chip can achieve up to 5h of uninterrupted use, while the total operating time can be up to 30h with charging case
- 360° omnidirectional pattern produces superior quality 48kHz 16bit uncompressed

All-in-One Video Kit for Smartphone Creators (ID: 3384B)



Universal Cage
ID: 2791



Power Bank
Holder
ID: 2790



Side Handle
ID: 2772



Desktop Tripod
ID: BUT2664



Mic
ID: 3452



Cold Shoe
Mount
ID: 1960



LED light
ID: 3286

- The right solution for phone vlogging and live streaming
- It supports both handheld shooting and tripod shooting
- Package includes a mini LED light, a power bank holder, and a professional microphone

Best Smartphone Filmmaking Kit with 1.55X Anamorphic Lens



iPhone 13 Pro
kit
ID: 3607



iPhone 13 Pro
Max
ID: 3604



1.55X Anamorphic
Lens
ID: 3578

- 1.55X widescreen and 2.76:1 wide-screen ratio imaging.
- With standard M mount which compatible with most mobile phones and tablets.
- 4-point magnetic alignment which is convenient for accurate and rapid adjustment of the lens direction.
- Suitable for shooting with a stabilizer, and the cinematic scene is instantly presented.

VT-09 Flexible Tripod Series



- Patented appearance inspired by intelligent robots won the Red Dot Design Award. Its head and legs with round corners, which make user friendlier
- Innovative structure, high load capacity and durability
- High elasticity and friction, suitable for rod diameter $\geq 25\text{mm}$
- Multiple accessory mounts: one cold shoe mount and one $1/4''-20$ threaded hole on the top

Portable Dual Suction Cup Camera Mount SC-2K (ID: 3566)



- Dual-surface suction cups for a firm grip
- Free to attach to a variety of curved surfaces thanks to adjustable angel design of suction cup
- Detachable modules for attaching lightweight cameras ($\leq 2\text{kg}$ / 4.4lbs), action cameras, mobile phones, etc.
- Quick-release NATO rail design ensures convenient assembly and disassembly
- 0.5kg / 1.1lbs dynamic load capacity; load capacity is 3kg / 6.6lbs when not in motion, working up to 48h


About Us

Recognizing the unique needs of content creators, SmallRig pioneered the free DreamRig Co-Design Program


Since 2017, SmallRig has co-designed over 2,000 customized DreamRig products with over 400 global photographers and videographers

SmallRig always believes that helping creators realize their creative dreams is essential. We sincerely invite more and more content creators to participate in the DreamRig program. Together we can make the “Big Dream” come true!

Summit Your Ideas: DreamRig@SmallRig.com



Screw and Hex Key Storage Plate (ID: MD3184)



DreamRigger: Reuben Pereira

- Dedicated for commonly used screws and hex keys of camera rigs
- Anti-dropping by holding hex keys via magnet and mounting screws on the threaded holes
- Laser-engraved clear specification marks for conveniently accurate access
- Containing a flannel bag and a strap hole for easy storage and carrying

Adjustable EVF Mount with NATO Clamp (ID: MD3507)



DreamRigger: Ian Roche

- Supports monitors or other accessories
- Adjusted in 360° via three pivot points and stopped at any position
- The spindle arm can achieve 62mm telescopic adjustment
- Dual NATO clamps with universal NATO rails for quick disassembly and assembly
- Maximum payload of 1.5kg
- Compatible with 5~7 inch monitor